Classified Contents

Acoustic wave propagation, in oil shale, 1215, 1462
Acylation, coal, solvolytic extraction through, 292
Adduction, of hydrocarbon- and N-contg solvents in coal liqn, 806
Agricultural waste, combustion of bagasse using full-suspension burner, 775
Alkali carbonate catalysts, in CO_2 gasificn of coal chars, 323
Alkali-metal catalysts, alumina-supported, in steam gasificn of petroleum residues, 226
–in C gasificn, 170
––role of surface salt complexes in, 176
–in coal-char gasificn, 185, 217
–in coal gasificn: steam solubility of, 262
–in steam gasificn of coal, 196
–in steam gasificn of German hard coal, 200
Alkaline-earth carbonate catalysts, in CO_2 gasificn of coal chars, 323
Analysis, elemental, of coal using X-ray emission spectroscopy, 1247
–New Zealand coals, assessmt of quality from borecore data, 1062
–proximate, of coals, biomass and oil shales, using automated thermogravimetry, 580
–sulphur, in coal, rapid detn of forms of, 1107
–UK coals and cokes, using instrumental techniques, 1058
Anisotropy, of met. coke, and coal carbonizn, 131
Anode carbon, binder–filler bonding in, 1145
Aromaticity, of Australian coals, detd by ^{13}C CP-MASS n.m.r. spectroscopy, 601
Aryl alkyl ethers, high-temp. rearrangement of, 690
Ash, brown coals, yield of, and min. matter content detd by density measuremts, 389
–coal-, agglomeration in fluidized beds, 924
––FT-i.r. analysis of inorg. matrix of, from atm. fluid-bed boiler, 1009
–low-rank coals, min. matter/ash formula for, 94
Asphalt, petroleum, co-carbonizn with coal-derived liquids, 893
Asphaltenes, Athabasca, gel permeation chromatography of, and polymerizn of the fractions, 363
––sepn and characterizn of clay from, 353
–Cold Lake, influence of thermal processing on props. of, 370
–oil-sand and crude-oil, liq. chromatographic fractionation of, 1186
–SCG-extract-coal, pyrolysis of, 695
–shale-bitumen: functional group studies using lanthanide n.m.r. shift reagents, 127

Bagasse, combustion using full-suspension burner, 775
Benzophenone reduction, using S-based additives, 1234
Binder coke, in electrode carbon, SEM study, 946
Biomass, analysis, proximate, using automated thermogravimetry, 580
–laticiferous plants as potential petro-crops, 953
Bitumen(s), Athabasca, coking of: effect of oxidn and sand, 350
–distribn of polynuclear aromatic ring classes in, 345
–tar-sand, two-stage pyrolysis of, 98
–Utah tar-sand, characterizn by e.p.r., 1255
Bomb calorimetry, cooling correction in, 845
Book reviews, 486, 750, 990, 1382
Borecore analyses, assessmt of quality of NZ coals from, 1062
Briquettes, char/tar, influence of diffusion resistance in oxidative heat-hardening of, 1327

Calcium carbonate, kinetics of decompn in Australian oil shale, 1238
Calcium oxide, effect of lignite pyrolysis conditions on dispersion of, 209
Calorimetry, bomb, cooling correction in, 845
Carbon(s), activated, kinetics of K_2CO_3-catalysed CO_2 gasificn of, 221
––spontaneous ignition of, 632
–active, estn of pore volume from BET surface area, 1090
–active sites, imptnce in gasificn of coal chars, 849
–anode-, binder–filler bonding in, 1145
–aromatic, investign of sites in materials derived from petroleum and coal, 39
–calcn of limit pore ranges of reaction of porous C materials with CO_2, 482
–characterizn of structural components using SEM, 1079
–electrode-, SEM study of binder coke in, 946
–gasification. *See* Gasification
–intrinsic reactivity to oxygen, 484, 486
–in spent oil shales, oxy-reactivity of, 1283
–transition metal- and metal oxide-catalysed gasificn by O_2, H_2O and CO_2, 162
Carbon deposits, on Ni/SiO_2 catalysts, formn and gasificn of, 158
Carbon disulphide/pyridine, used for solvent extraction of bit. coals, 744
Carbon–oxygen bond, hydrogenolysis and hydrocracking of, 342
Carbonization, co-, of oxidized coals with petroleum pitches, 1355
––of petroleum asphalt and coal-derived liquids, 893
––with pitch, of bit. and subbit. coals to produce anisotropic cokes, 649, 659
–coal, and anisotropy of met. coke, 131
––math. models of, 534, 540, 547, 553, 562, 567
–coal model cmpds and coal extracts, influence of $AlCl_3$ on: e.s.r. study, 571
–coal-tar pitches: effect of rank of parent coal, 129
–mesophase growth and coalescence, 612
–mesophase solubilities in pitch distillates, 700
–pore developmt in bit. and subbit. coals, 645
–reactions, of inertinite macerals in Australian coals, 883
Carcinogenic hazard, in prodn, handling and utilizn of synthetic crude oils and their distiln fractions, 857
Catalysis, of char–CO_2 gasificn, using KOH, 880
–CO_2-gasificn of graphite *versus* coal char, 180
–coke activated with H_2SO_4 for redn of NO, 867
–effect of, and of inlet gas, on coal gasificn, 231
–of gasificn of carbonaceous materials: TPD study of Na_2CO_3-contg activated C, 190
–of gasificn of coal-derived cokes and chars, 140
–hydrogenation of coals coated with chloride binary catalyst melts, 73
–iron-based, in brown coal hydrogenation, 336
–K_2CO_3 in coal gasificn (CCG) process, 239
–K_2CO_3-, steam gasificn of SGE coal chars, 738
–pyrite in coal liqn, 1412
–transition metal- and metal oxide-catalysed gasificn of C by O_2, H_2O and CO_2, 162
Catalysts, alkali and alk. earth carbonates, in CO_2 gasificn of coal chars, 323
–alkali carbonate, in steam gasificn of coal, 196
–alkali-metal, in C gasificn, 170
–––role of surface salt complexes in, 176
––in coal char gasificn in CO_2 and steam, 217
––in coal gasificn: steam solubility of, 262
–alkali metal carbonate, in coal-char gasificn, 185
–alumina-supported alkali-metal, in steam gasificn of petroleum residues, 226
–applicn to coal gasificn processes: incentives and perspectives, 234
–CaO, effect of lignite pyrolysis conditions on dispersion of, 209
–coal min. matter, in graphitizn of cokes, 502
––for HDS and HDN, 508
–gasificn of coal impregnated with, during pulverizn, 62
–hydrodemetallizn, deactivn by pore plugging, 817
–iron, in coal gasificn: fundamental problems, 166
––in coal hydroliqn, 69
–K_2CO_3, applicn of in coal gasificn process using nuclear heat, 242
––in C gasificn: *in situ* FT-i.r. study, 256
––in CO_2 gasificn of activated C, 221
––in gasificn of carbon and coal, 249
––and steam gasificn: effects on e.s.r. of carbon black, 331
––in steam gasificn of German hard coal, 200
–KOH, in char–CO_2 gasificn, 880
–new (Saechol), for coal hydrogenation, 47
–nickel, in carbon gasificn: crystallographic and magnetic studies, 155
––in graphitizn of a phenolic resin carbon, 50
––in low-temp. gasificn of brown coals, 150
––in gasificn of C, 246
–Ni/SiO_2, formn and gasificn of C deposits on, 158
–potassium compds, in steam gasificn of coal chars and carbons: FT-i.r. studies, 252
–pyrite and H_2S, in batch autoclave hydrogenation of bit. coal, 498
–reaction with min. matter during coal gasificn, 205
–tin, molten: coal liqn activity of, 407
–zinc chloride, in coal hydrogenation, 4

Classified Contents

Acoustic wave propagation, in oil shale, 1215, 1462
Acylation, coal, solvolytic extraction through, 292
Adduction, of hydrocarbon- and N-contg solvents in coal liqn, 806
Agricultural waste, combustion of bagasse using full-suspension burner, 775
Alkali carbonate catalysts, in CO_2 gasificn of coal chars, 323
Alkali-metal catalysts, alumina-supported, in steam gasificn of petroleum residues, 226
–in C gasificn, 170
––role of surface salt complexes in, 176
–in coal-char gasificn, 185, 217
–in coal gasificn: steam solubility of, 262
–in steam gasificn of coal, 196
–in steam gasificn of German hard coal, 200
Alkaline-earth carbonate catalysts, in CO_2 gasificn of coal chars, 323
Analysis, elemental, of coal using X-ray emission spectroscopy, 1247
–New Zealand coals, assessmt of quality from borecore data, 1062
–proximate, of coals, biomass and oil shales, using automated thermogravimetry, 580
–sulphur, in coal, rapid detn of forms of, 1107
–UK coals and cokes, using instrumental techniques, 1058
Anisotropy, of met. coke, and coal carbonizn, 131
Anode carbon, binder–filler bonding in, 1145
Aromaticity, of Australian coals, detd by ^{13}C CP-MASS n.m.r. spectroscopy, 601
Aryl alkyl ethers, high-temp. rearrangement of, 690
Ash, brown coals, yield of, and min. matter content detd by density measuremts, 389
–coal-, agglomeration in fluidized beds, 924
––FT-i.r. analysis of inorg. matrix of, from atm. fluid-bed boiler, 1009
–low-rank coals, min. matter/ash formula for, 94
Asphalt, petroleum, co-carbonizn with coal-derived liquids, 893
Asphaltenes, Athabasca, gel permeation chromatography of, and polymerizn of the fractions, 363
––sepn and characterizn of clay from, 353
–Cold Lake, influence of thermal processing on props. of, 370
–oil-sand and crude-oil, liq. chromatographic fractionation of, 1186
–SCG-extract-coal, pyrolysis of, 695
–shale-bitumen: functional group studies using lanthanide n.m.r. shift reagents, 127

Bagasse, combustion using full-suspension burner, 775
Benzophenone reduction, using S-based additives, 1234
Binder coke, in electrode carbon, SEM study, 946
Biomass, analysis, proximate, using automated thermogravimetry, 580
–laticiferous plants as potential petro-crops, 953
Bitumen(s), Athabasca, coking of: effect of oxidn and sand, 350
–distribn of polynuclear aromatic ring classes in, 345
–tar-sand, two-stage pyrolysis of, 98
–Utah tar-sand, characterizn by e.p.r., 1255
Bomb calorimetry, cooling correction in, 845
Book reviews, 486, 750, 990, 1382
Borecore analyses, assessmt of quality of NZ coals from, 1062
Briquettes, char/tar, influence of diffusion resistance in oxidative heat-hardening of, 1327

Calcium carbonate, kinetics of decompn in Australian oil shale, 1238
Calcium oxide, effect of lignite pyrolysis conditions on dispersion of, 209
Calorimetry, bomb, cooling correction in, 845
Carbon(s), activated, kinetics of K_2CO_3-catalysed CO_2 gasificn of, 221
––spontaneous ignition of, 632
–active, estn of pore volume from BET surface area, 1090
–active sites, imptnce in gasificn of coal chars, 849
–anode-, binder–filler bonding in, 1145
–aromatic, investign of sites in materials derived from petroleum and coal, 39
–calcn of limit pore ranges of reaction of porous C materials with CO_2, 482
–characterizn of structural components using SEM, 1079
–electrode-, SEM study of binder coke in, 946
–gasification. *See* Gasification
–intrinsic reactivity to oxygen, 484, 486
–in spent oil shales, oxy-reactivity of, 1283
–transition metal- and metal oxide-catalysed gasificn by O_2, H_2O and CO_2, 162
Carbon deposits, on Ni/SiO_2 catalysts, formn and gasificn of, 158
Carbon disulphide/pyridine, used for solvent extraction of bit. coals, 744
Carbon–oxygen bond, hydrogenolysis and hydrocracking of, 342
Carbonization, co-, of oxidized coals with petroleum pitches, 1355
––of petroleum asphalt and coal-derived liquids, 893
––with pitch, of bit. and subbit. coals to produce anisotropic cokes, 649, 659
–coal, and anisotropy of met. coke, 131
––math. models of, 534, 540, 547, 553, 562, 567
–coal model cmpds and coal extracts, influence of $AlCl_3$ on: e.s.r. study, 571
–coal-tar pitches: effect of rank of parent coal, 129
–mesophase growth and coalescence, 612
–mesophase solubilities in pitch distillates, 700
–pore developmt in bit. and subbit. coals, 645
–reactions, of inertinite macerals in Australian coals, 883
Carcinogenic hazard, in prodn, handling and utilizn of synthetic crude oils and their distiln fractions, 857
Catalysis, of char–CO_2 gasificn, using KOH, 880
–CO_2-gasificn of graphite *versus* coal char, 180
–coke activated with H_2SO_4 for redn of NO, 867
–effect of, and of inlet gas, on coal gasificn, 231
–of gasificn of carbonaceous materials: TPD study of Na_2CO_3-contg activated C, 190
–of gasificn of coal-derived cokes and chars, 140
–hydrogenation of coals coated with chloride binary catalyst melts, 73
–iron-based, in brown coal hydrogenation, 336
–K_2CO_3 in coal gasificn (CCG) process, 239
–K_2CO_3-, steam gasificn of SGE coal chars, 738
–pyrite in coal liqn, 1412
–transition metal- and metal oxide-catalysed gasificn of C by O_2, H_2O and CO_2, 162
Catalysts, alkali and alk. earth carbonates, in CO_2 gasificn of coal chars, 323
–alkali carbonate, in steam gasificn of coal, 196
–alkali-metal, in C gasificn, 170
–––role of surface salt complexes in, 176
––in coal char gasificn in CO_2 and steam, 217
––in coal gasificn: steam solubility of, 262
–alkali metal carbonate, in coal-char gasificn, 185
–alumina-supported alkali-metal, in steam gasificn of petroleum residues, 226
–applicn to coal gasificn processes: incentives and perspectives, 234
–CaO, effect of lignite pyrolysis conditions on dispersion of, 209
–coal min. matter, in graphitizn of cokes, 502
––for HDS and HDN, 508
–gasificn of coal impregnated with, during pulverizn, 62
–hydrodemetallizn, deactivn by pore plugging, 817
–iron, in coal gasificn: fundamental problems, 166
––in coal hydroliqn, 69
–K_2CO_3, applicn of in coal gasificn process using nuclear heat, 242
––in C gasificn: *in situ* FT-i.r. study, 256
––in CO_2 gasificn of activated C, 221
––in gasificn of carbon and coal, 249
––and steam gasificn: effects on e.s.r. of carbon black, 331
––in steam gasificn of German hard coal, 200
–KOH, in char–CO_2 gasificn, 880
–new (Saechol), for coal hydrogenation, 47
–nickel, in carbon gasificn: crystallographic and magnetic studies, 155
––in graphitizn of a phenolic resin carbon, 50
––in low-temp. gasificn of brown coals, 150
––in gasificn of C, 246
–Ni/SiO_2, formn and gasificn of C deposits on, 158
–potassium compds, in steam gasificn of coal chars and carbons: FT-i.r. studies, 252
–pyrite and H_2S, in batch autoclave hydrogenation of bit. coal, 498
–reaction with min. matter during coal gasificn, 205
–tin, molten: coal liqn activity of, 407
–zinc chloride, in coal hydrogenation, 4

Catalytic activity, of metals in petroleum, and their removal, 44
Cenospheres, formn during fluidized-bed combustion of bit. coals, 1224
Charcoals, active, estn of pore volume from BET surface area, 1090
Chlorination, slurry-phase: surface-area redn of coal during, 795
Chlorine-containing coals, m.s. study of gaseous products of mild heat treatmt, 1331
Chlorinolysis, solvent effects in coal desulphurizn by, 1111
Clay, from Athabasca asphaltene, sepn and characterizn of, 353
Clay complexes, /humic substances, in Hungarian coals, 380
Coals, acylation, solvolytic extraction through, 292
–analysis, proximate, using automated thermogravimetry, 580
–aromaticity of Australian, detd by ^{13}C CP-MASS n.m.r. spectroscopy, 601
–ash. *See* Ash
–Assam, solvolytic extraction through acylation and amidomethylation, 292
–assessmt of quality by neutron (NAA) and photon (PAA) activation analysis, 1046
–borecore analyses, assessmt of quality of NZ coals from, 1062
–caking, capillary viscometry at high pressures and shear stresses, 417
–Canadian, e.s.r. measuremts of free radical *g* values and linewidths, 973
––lab. gasificn study: chem. reactivity and coal rank, 1337
–carbonization. *See* Carbonization
–characterizn by X-ray photoelectron spectroscopy, 1024
–chlorine-contg: m.s. study of gaseous products of mild heat treatmt, 1331
–coking, assessmt and blending: use of profile features of Sapozhnikov's plastometric curves for, 981
–coking process: math. models, 534, 540, 547, 553, 562, 567
–coking quotient, 981
–coking (S. African): X-ray structure before and after heat treatmt at 500 and 1000°C, 1315
–comminution: concn of S and mineral rich components in particle classes during, 1299
––effect of microstructure on size and shape of particles during, 1304
–depolymerization, enhancemt of benzene–methanol extraction, 479
––in hot pyridine or phenol, 476
–dilatometric props., effect of acid treatmt on, 85
–dissolution in aromatic and hydroaromatic solvents, 78
–effect of rank of parent coal on carbonizn of coal-tar pitches, 129
–electron-spin echoes and saturation in, 285
–free radicals. *See* Free radicals
–gasification. *See* Gasification
–Hungarian, humic substances–clay complexes in, 380
–hydrogenation. *See* Hydrogenation
–hydrolysed, reactivity in liqn, 317
–hydropyrolysis of high-S–high-calcite subbit.: pyrite behaviour, 615
–inelastic neutron scattering spectra, 1097
–inertinite macerals in Australian coals, carbonizn reactions of, 883
–i.r. spectrum, 1600 cm^{-1} region in, 742
–liquefaction. *See* Coal liquefaction
–liquids derived from, selected multiplet ^{13}C n.m.r. spectroscopy of, 34
–low-rank, mineral matter/ash formula, 94
–micrinite, genesis in Australian, 639
–mineral matter. *See* Mineral matter
–molecular wt, detn from solvent-swelling studies, 112
–New Zealand, assessmt of quality from borecore analyses, 1062
–oxidation. *See* Oxidation
–oxidized, co-carbonizn with petroleum pitches, 1355
–porosity, studied using small-angle neutron scattering, 1092
–pyrite decompn, Mössbauer study of effect of additives, 932
–pyrolysis. *See* Pyrolysis
–quinoline incorporation into, 1417
–reaction in acidic phenol, 918
––model cmpd studies, 463
–reaction with ferric chloride: effect on surface area and dependence on rank, 289
–solvent extraction. *See* Solvent extraction
–structural evolution of homogeneous series: ^{13}C CP-MAS study, 575
–structure, changes due to oxidative weathering, 781
––characterizn by laser Raman microprobe spectroscopy, 1013
––examined by fast atom bombardment, secondary ion and laser microprobe m.s., 1041
––Fourier transform i.r. studies, 1003
––and mechanism of swelling and extn by solvents, 977
–sulphur. *See* Sulphur; Desulphurization
–surface area, effect of ferric chloride on, 289
––and swellability, 279
––use of controlled oxidn to increase, 1393
–surface chemistry, electron spectroscopy for chem. applicns applied to aspects of, 1034
–surface treatmt, analysis of, 1310
–swelling, and surface area detn, 279
–thermal decompn, math. models of, 534, 540, 547, 553, 562, 567
–UK, ultimate analysis using instrumental techniques, 1058
Coals, bituminous, acidic groups in, detd by non-aq. titrations, 732
–ageing of SRC-II middle distillate from, 1397
–Australian, pyrolysis–gas chromatography of, 311
–characterizn by ^{13}C CP/MAS spectroscopy, 271
–co-carbonizns with pitch to produce anisotropic cokes, 649, 659
–formn of cenospheres during fluidized-bed combustion of, 1224
–heat of wetting with water of coal having different initial moisture contents, 619
–hydrogenation of maceral concentrates from Australian, 1359
–molecular and macromolecular phases, detn using ^{1}H pulse n.m.r., 996
–natural and solvent-refined: proton environment of paramagnetic centres in, 1250
–oxidative weathering of, 781
–physical structure changes on partial solubilizn, 1231
–pyrolysis products, effect of oxidn on chem. nature and distribn, 395
–quantitative aspects of solid state ^{13}C n.m.r. of, 999
–self-heating: heat of wetting tests, 619
–solubilizn by non-reductive ethylation: ^{13}C and ^{1}H n.m.r. study, 412
–solvent-swelling, effect on diffusion rates in, 1351
––of polished surfaces of: *in situ* microscopic studies, 1347
–surface-area reduction during slurry-phase chlorinolysis, 795
–swelling in reln to solvent electron-donor numbers, 1229
–UK, analysis by X-ray fluorescence spectroscopy, 1053
Coals, brown, ash yield and min. matter content detd by density measuremts, 389
–hydrogenation, iron-based catalysis of, 336
––model cmpd studies, 1404
––ultrasonic extraction of products from, 606
–low-temp. gasificn catalysed by Ni, 150
–low-temp. oxidn: changes in microhardness and reflectance during, 942
–microporosity detn using SAXS, 480
––VM detn using one-stage or two-stage htg, 89
––lithotypes, pyrolysis–gas chromatography of, 303
Coal chars, alkali metal catalysed gasificn, 185, 217
–catalysis of gasificn of, 140
–catalytic CO_2-gasificn of, 180
–CO_2 gasificn of, catalysed by alkali and alk. earth carbonates, 323
––catalytic effect of KOH on rate of, 880
–gasificn, imptnce of C active sites in, 849
–gasificn in CO_2 and steam, catalysed by alkali metal salts, 217
–K-catalysed steam gasificn of: FT-i.r. studies, 252
–supercritical extracted, K_2CO_3-catalysed steam gasificn of, 738
Coal derivatives, evaporative analyser as mass detector in SEC of coal extracts, 1181
Coal-derived liquids, acidic groups in, detd by non-aq. titrations, 732
–ageing of SRC II middle distillate from Ill. No. 6 coal, 1156, 1397
–characterizn of phenols and indanols in, using combined l.c./g.c./m.s., 1422
––by ^{13}C n.m.r. and FT-i.r., 1436
–co-carbonizn with petroleum asphalt, 893
–detn of kinetics of hydroprocessing reactions of individual cmpds in fractions of, 1376
–dielectric constants of, and of slurries with coal, 81
–distillable fractions studied by g.c.–m.s. and n.m.r., 450
–fluorescence spectroscopic analysis of, 1430
–mutagenesis and skin tumour initiation by, 857
–thermodynamics of H bonding in, 976
–upgraded, analysis by i.r., p.m.r., g.c.–m.s. and silica gel chromatography, 718
Coal-derived materials, ^{13}C n.m.r. investign of aromatic C sites in, 39
Coal-derived products, quinoline incorporation into, 1417
Coal extracts, carbonizn of, influence of $AlCl_3$ on: e.s.r. study, 571
Coal liquefaction, adduction of hydrocarbon- and N-contg solvents in, 806
–bath autoclave hydrogenation catalysed by pyrite and H_2S, 498
–catalytic, using mixture of CO and H_2O, 1133
–catalytic activity of molten tin in, 407
–chem. structure of distillable fractions studied by g.c.–m.s. and n.m.r., 450
–effects of iron sulphide area variations on, 122
–formn and role of free radicals in hydroliqn, assessed by *in-situ* e.p.r., 1066
–hydrogen donor abilities and chem.

structure of aromatic cmpds, 813
–hydrogen-transfer process using lignites, 471
–hydroliqn, of Australian coals with recycled slurry oil in continuous reactor, 295
––correlative model for products of, 671
––exptl detn of conversion in, 665
––kinetics and reaction pathways in, 681
–isomerizn of tetra-hydroaromatic groups, 401
–lignites (US), and petrographic compn, 627
–oxygen removal during, 445
–of partially dried and oxidized coals, 1116, 1124
–products, estn of aliph. H/C ratios by spin-echo ^{13}C n.m.r., 621
–pyrite-catalysed, using quinoline/tetrahydroquinoline as an H-donor system, 1412
–pyrolysis of SCG extract coal asphaltenes, 695
–reactivity of hydrolysed coals in liqn, 317
–solvents for: sepn methods, and characterizn by chromatography and spectrometry, 799
–solvolytic, in presence of poly(vinylcyclohexane), 908
–synthetic iron catalysts and coal hydroliqn, 69
–two-stage, of subbit. coal, using autoclave reactor system, 491
–variation of structure of SCG and HDS extracts with molecular mass, 724
–via hydrogen, transformations of O- and S-groups during, 1379
Coal minerals, selectivity of, using cyclohexene as a probe reactant, 1341
Coal model compounds, carbonizn of, influence of $AlCl_3$ on: e.s.r. study, 571
Coal–oil/methanol/water mixtures, single-droplet combustion of, 1481
Coal–oil mixtures, characterizn by a pseudo diffusivity parameter, 1153
Coal particles, analysis for Fe, S, Ca, Si and Al, 1468
Coals, subbituminous, Assam, XPS study of S in, 840
–co-carbonizns with pitch to produce anisotropic cokes, 649, 659
–molecular and macromolecular phases, detn using ^1H pulse n.m.r., 996
–two-stage liqn using autoclave reactor system, 491
Coal tar, from flash pyrolysis of Australian coals, constitution of, 1161, 1167
–from fluidized-bed pyrolysis: ^1H n.m.r. and i.r. spectroscopy, 900
Coal tar pitches, mesophase formn in: influence of pyrolytic C particles, 1236
Coal tar products, g.c.–AFD–m.s. investign of N cmpds in, 11, 20
Cokes, activated with H_2SO_4, catalytic activity in redn of NO, 867
–anisotropic, prodn by co-carbonizns with pitch of bit. and subbit. coals, 649, 659
–binder-, in electrode carbon, SEM study, 946
–catalysis of gasificn of, 140
–catalytic graphitizn by indigenous min. matter, 502
–characterizn of structural components using SEM, 1079
–metallurgical, anisotropy of and coal carbonizn, 131
––e.s.r. study of formn of optical texture, 585
––gasificn reactivities of optical textures of, 875
––ultrasonic study on effects of heat treatmt and CO_2 gasificn on, 865
–from a range of bit. coals: structure examined by optical microscopy and SEM, 1084
–strength, effect of blend compn on: math. model of carbonizn, 567
––improved by adding tar to coal mix, 591
–structural study using optical microscopy and X-ray diffraction, 274
–structure characterizn by laser Raman microprobe spectroscopy, 1013
–UK, ultimate analysis using instrumental techniques, 1058
–yield, from coals, influence of VM and deposited C on, 1150
Coking, of Athabasca bitumen: effect of oxidn and sand, 350
Coking process, math. models of, 534, 540, 547, 553, 562, 567
Coking quotient, involving dilatation, shrinkage and agglutination characteristics of coal, 981
Combustion, of bagasse, using full-suspension burner, 775
–echoing *in-situ*, of Utah tar sand: compn of oils produced from, 438
–fluidized-bed, of bit. coals: cenosphere formn, 1224
–single-droplet, of coal-oil/methanol/water mixtures, 1481
Comminution of coals, concn of S and mineral rich components in particle classes during, 1299
–effect of microstructure on size and shape of particles during, 1304
Conductivity, gasoline–ethanol–water mixtures, 1512
Contraction behaviour, math. model of coal carbonizn, 547
Cyclohexene, as a probe reactant for examining selectivity of coal minerals, 1341

Dealkylation, of N,N-dimethylaniline with S and H_2S, 913
Density, of brown coals, in detn of ash yield and min. matter content, 389
–coal, semi-coke and coke: math. model of carbonizn, 547
Depolymerization, of coals, enhancemt of benzene–methanol extraction, 479
––in hot pyridine or phenol, 476
Deposit formation, in liq. fuels: effect of organo-sulphur cmpds on stability, 1265
Desulphurization, of coal, criterion for selective microwave heating, 459
––by chlorinolysis, solvent effects in, 1111
––by electrolysis, 427
–microbial, of lignites by thermophilic bacterium, 1223
–SEM–EDX detn of org. S in raw and chemically desulphurized coals, 1070
Dewatering, of peak, lime treatment to enhance, 749
Dielectric constants, of coal-derived liquids and of slurries with coal, 81
Diffusion rates, in bit. coals, effect of solvent-swelling on, 1351
Diffusivity parameter, pseudo, for characterizn of coal–oil mixtures, 1153
Dilatometric properties, of coal, effect of acid treatmt on, 85
N,N-Dimethylaniline, dealkylation with S and H_2S, 913
Drying, of coal, prior to liqn, 1116, 1124

Editorials, 3, 267, 755
Electrical conductivity, of Colorado oil shale to 900°C, 966
Electron-donor numbers, of solvents, in reln to coal swelling, 1229
Engine fuels, hydrated ethanol/gasoline blends as, 117, 1381
Ethanol, hydrated, and mixed with gasoline, as spark ignition engine fuels, 117, 1381
Ethers, in coal: pyrolysis studies on structure of, 1321
Ethylation, non-reductive, of coal: structural characterizn of product by ^{13}C and ^1H n.m.r., 412
Evaporative analyser, as mass detector in SEC of coal extracts, 1181
Extraction, solvolytic, of Assam coal through acylation, 292
Exxon Catalytic Coal Gasification (CCG) Process, potassium-catalysed, 239

Ferric chloride, reaction with coal: effect on surface area and dependence on rank, 289
Flash hydrogenation, of US coals, 56
Flash pyrolysis, of Australian coals, constitution of tars from, 1161
––tars, viscosity modification of, 1514
Fluidity, and solvent extraction of coals, 1227
Fluidized-bed boiler, detn of inorg. matrix of coal ash from, by FT-i.r. analysis, 1009
Fluorescence microscopy, of coal hydrogenation residues, 607
Fluorescence spectroscopy, of coal-derived liquids, 1430
Fly ash, size-fractionated, density sepn and identificn of compound forms in, 927
Fossil fuel materials, appln of spin-echo ^{13}C n.m.r. methods to, 986, 988
Fractionation, liq. chromatographic, of oil-sand and crude-oil asphaltenes, 1186
Free radicals, in Canadian coals, e.s.r. studies, 973
–in coals, and coal conversion: correlative model for hydroliqn products, 671
–––exptl detn of conversion in hydroliqn, 665
–––kinetic and reaction pathways in hydroliqn, 681
––effect of pyrite and pyrrhotite on formn of, 792
–formn and role in coal hydroliqn, assessed by *in-situ* e.p.r., 1066
–involvent in oxidation of, 1510
–transient, e.s.r. studies during bit. coal pyrolysis, 473
Freeze conditioning agents, for surface treatmt of coal, 1310

Gas(es), flow distribn in coke-oven charge: math. model of carbonizn, 562
Gasification, of activated C: kinetics of K_2CO_3-catalysed CO_2 gasificn of, 221
–alkali-catalysed, of coal, 196
––of German hard coal, 200
–of Canadian coal, lab. study of chem. reactivity and coal rank, 1337
–of carbon, catalysed by alkali metal salts, 170
––catalytic activity of Ni cmpds, 246
––K_2CO_3-catalysed: formn of intercalation structures, 249
–––*in situ* FT-i.r. study, 256
––Ni-catalysed: crystallographic and magnetic studies, 155
––role of surface salt complexes in alkali-catalysed, 176
–of carbon deposits on Ni/SiO_2 catalysts, 158
–of carbonaceous materials: TPD study of Na_2CO_3-contg activated C, 190
–catalytic, of carbon and coal: lab reactors for measuring kinetics of, 259
––of coal-derived cokes and chars, 140
––of Shin-Yubari coal, 62
–catalytic CO_2-, of graphite *versus* coal char, 180

–CO_2–, of coal chars catalysed by alkali and alk. earth carbonates, 323
––of coal chars, catalytic effect of KOH on rate of, 880
––of met. cokes: ultrasonic study, 865
–of coal, applicn of catalysts to: incentives and perspectives, 234
––by CO_2/O_2 mixtures under pressure, 823
––effect of catalysis and inlet gas on, 231
––Fe-catalysed: fundamental problems, 166
––K_2CO_3-catalysed: formn of intercalation structures, 249
––using nuclear heat: applicn of K_2CO_3 catalysts, 242
––potassium-catalysed: CCG Process, 239
––steam solubility of catalytically active salts, 262
–of coal chars, alkali metal carbonate-catalysed, 185
––in CO_2 and steam, catalysed by alkali metal salts, 217
––imptnce of C active sites in, 849
–of German hard coal, reaction of catalysts with min. matter during, 205
–of lignite chars: effect of pyrolysis conditions on CaO dispersion, 209
–low-temp., of brown coals, catalysed by Ni, 150
–reactivities of optical textures of met. cokes, 875
–steam-, K-catalysed, of coal chars and carbons: FT-i.r. studies, 252
––K_2CO_3-catalysed, effect on e.s.r. of carbon black, 331
–––of SGE coal chars, 738
––of petroleum residues: supported alkali catalysts for, 226
–transition metal- and metal oxide-catalysed gasificn of C by O_2, H_2O and CO_2, 162
–underground, coal, by CO_2/O_2 mixtures under pressure, 823
–wood char, and effects of intraparticle transport, 213
Gasoline/hydrated ethanol, as spark ignition engine fuels, 117, 1381
Gasoline/ethanol/water blends, conductivity of, 1512
Gasoline/methanol blends, blending agents to prevent phase sepn, 268
Gel permeation chromatography, of Athabasca asphaltene, and polymerizn of the fractions, 363
Graphite, catalytic CO_2-gasificn of, *versus* coal char, 180
–methanation of: catalytic mechanisms, 1138
Graphitization, catalytic, of cokes by indigenous min. matter, 502
–catalytic, of a phenolic resin carbon by nickel, 50

H-coal liquids, size exclusion chromatography, 870
Heats, specific, of coal and coke: math. model of carbonizn, 540
Heat transfer, and temp. profiles in coke-oven charge: math. model of carbonizn, 553
Heat of wetting, with water, of bit. coal with different initial moisture contents, 619
Humic acids, from lignite, characteristics of HA–Ca–P complexes prepared from, 956
––in soln, Ca-complexing capacity of, 869
–u.v., fluorescence and i.r. spectra, 373
Humic substances/clay complexes, in Hungarian coals, 380
Hydroaromatic groups, tetra-, isomerizn under coal liqn conditions, 401
Hydrocarbons, liquid, hydrogen mass transfer in, 1492
–study of laticiferous plants as potential petro-crops, 953
Hydrocracking, of diphenylmethane, 1487
Hydrodemetallization, of oil feedstock, deactivn of catalyst by pore plugging, 817
Hydrodenitrogenation, catalytic activity of coal min. matter for, 508
Hydrodesulphurization, catalytic activity of coal min. matter for, 508
Hydrogen, /hydrocarbon system, vapour-liquid equilibria of, 842
Hydrogen bonding, in coal-derived liquids, thermodynamics of, 976
Hydrogen mass transfer, in liq. hydrocarbons at elevated temps. and pressures, 1492
Hydrogen transfer reaction, in coal liqn, 813
Hydrogenation, brown coals, iron-based catalysis of, 336
––model cmpd studies, 1404
––ultrasonic extraction of products from, 606
–coal, chem. structure of distillates from, 450
––chem. structure of heavy oil from, 4
––fluorescence microscopy of residues from, 607
––formn of new catalyst (Saechol) for, 47
––Japanese, coated with chloride binary catalyst melts, 73
––use of INEPT and GASPE n.m.r. pulse sequences in assigning position of incorporation of deuterium into tetralin, 1243
–flash, of US coals, 56
–of inertinite macerals of Australian coal, 610
–of maceral concentrates from Australian coal, 1359
–of pitch and lignite chars, influence of pyrite on, 706
Hydrogenolysis, and hydrocracking of the carbon–oxygen bond, 342
Hydronaphthols, pyrolysis of, 1193
Hydropyrolysis, of a high-S–high-calcite subbit. coal: pyrite behaviour, 615

Ignition, spontaneous, of activated carbon, 632
Inertinite, in Australian coal, hydrogenation of, 610
Inertinite macerals, in Australian coal, carbonizn reactions of, 883
Instrumental methods of analysis,
–^{13}C CP-MAS spectroscopy, of sedimentologically homogeneous coal series, 575
––used to characterize whole bit. coals, 271
–^{13}C CP-MASS n.m.r. spectroscopy study on aromaticity of Australian coals, 601
–^{13}C n.m.r. characterizn of coal-derived liquids, 1436
–^{13}C n.m.r. investign of aromatic C sites in materials derived from petroleum and coal, 39
–^{13}C and ^{1}H n.m.r. study of non-reductively ethylated coal, 412
–capillary column g.c. for detn of kinetics of hydroprocessing reactions of individual cmpds in coal-liquid fractions, 1376
–chromatography and spectrometry characterizn of coal liqn solvents, 799
–chromatography and spectroscopy of medium- and high-MW coal-tar pitch components, 835
–combined l.c./g.c./m.s. in characterizn of phenols and indanols in coal-derived liquids, 1422
–electron-spin echoes and saturation in coal, 285
–e.p.r. characterizn of Utah tar-sand bitumen, 1255
–ESCA, in study of coal surface chemistry, 1034
–e.s.r. of carbon black, effects of K_2CO_3 catalyst and steam gasificn on, 331
–e.s.r. measurements, of free radical *g* values and linewidths in Canadian coals, 973
––of natural and solvent-refined bit. coal, 1250
–e.s.r. study, of effect of FeS_2 and Fe_7S_8 on free radical formn in coal, 792
––of formn of optical texture of met. coke, 585
––of influence of $AlCl_3$ on carbonizn of coal model cmpds and coal extracts, 571
––of transient free radicals during coal pyrolysis, 473
–fast atom bombardment, secondary ion and laser microprobe m.s. techniques for detg coal structure, 1041
–fluorescence microscopy of coal hydrogenation residues, 607
––spectroscopy, of coal-derived liquids, 1430
–FT-i.r. analysis of inorg. matrix of coal ash from atm. fluid-bed boiler, 1009
–FT-i.r. spectroscopy, in characterizn of oil shale, 1205
––of coal-derived liquids, 1436
––in study of coal structure, 1003
–FT-i.r. study, of K-catalysed steam gasificn of coal chars and carbons, 252
––of low-temp. oxidn of coal, 1387
––*in situ*, of K_2CO_3-catalysed C gasificn, 256
–g.c.–AFD–m.s. investign of N cmpds in coal tar products, 11, 20
–g.c.–m.s. study, of Australian shale oil, 1274
––of pyrolysis of SCG extract coal asphaltenes, 695
––of saturate fraction of crude oil with predominant terrestrial input, 524
–^{1}H n.m.r. and i.r. spectroscopy of coal tars from fluidized-bed pyrolysis, 900
–^{1}H pulse n.m.r. appln to detn of molecular and macromolecular phases in coals, 996
–IINS spectra of coal, 1097
–INEPT and GASPE n.m.r. pulse sequences used in assigning position of incorporation of deuterium into tetralin, 1243
–*in-situ* e.p.r. used to assess formn and role of free radicals in coal hydroliqn, 1066
–i.r., p.m.r., g.c.–m.s. and silica gel chromatography of upgraded coal-derived liquids, 718
–i.r. spectrum of coal, 1600 cm^{-1} region in, 742
–lanthanide n.m.r. shift reagents in functional group studies of shale bitumen asphaltenes, 127
–laser Raman microprobe spectroscopy of coals and cokes, 1013
–magic-angle ^{13}C n.m.r. characterizn, of coals and coal oxidn, 936
––of vitrinites, 103
–Mössbauer study of effect of additives on decompn of pyrite in coal, 932
–m.s. study, of products of coal supercritical fluid extn, 466
––of release of HCl and other volatiles from coal during mild heat treatmt, 1331
–m.s.–m.s., capabilities and applicns to fuel-related materials, 829
–neutron activation analysis of coal quality, 1046
–n.m.r. characterizn of Saudi Arabian heavy crude oil, 518
–for oil shales, review of, 756
–photon activation analysis of coal quality, 1046
–Py–g.c. of Australian coals, 303, 311

–quantitative aspects of solid state ^{13}C n.m.r. of coals and related materials, 999
–SANS in study of coal porosity, 1092
–SAXS used in detn of brown coal microporosity, 480
–selected multiplet ^{13}C n.m.r. spectroscopy of liquids derived from petroleum and coal, 34
–SEM characterizn of cokes and carbons, 1079
–SEM study of binder coke in electrode carbon, 946
–SEM–EDS, in detn of org. S in raw and chem.-cleaned coals, 1076
–SEM–EDX detn of org. S in raw and chem.-desulphurized coals, 1070
–SEM and opt. microscopy of cokes from a range of bit. coals, 1084
–size-exclusion chromatography, of coal extracts, 1181
––of H-coal liquids, 870
–spin-echo ^{13}C n.m.r. methods (GASPE and SEBBORD), appln to fossil fuel materials, 986, 988
–spin-echo ^{13}C n.m.r. used for estg aliphatic H/C ratios for coal liqn products, 621
–ultimate anal. of UK coals and cokes, 1058
–u.v., fluorescence and i.r. spectra of humic acids, 373
––XPS study of S in Assam subbit. coals, 840
–X-ray diffraction and SEM study of reaction of coal with $FeCl_3$, 289
–X-ray diffractometry of minerals in Australian oil shales, 469
–X-ray emission spectroscopy used in elemental analysis of coal, 1247
–X-ray fluorescence (XRF) spectroscopy of 84 UK bit. coals, 1053
–X-ray photoelectron spectroscopy of coals, 1024
–X-ray structure of S. African coking coals before and after heat treatmt, 1315
Intercalation structures, formed by heat treatmt of K_2CO_3–carbon in inert atm., 249
Iron, -catalysed coal gasificn: fundamental problems, 166
––catalysed hydrogenation of brown coal, 336
Iron sulphide surface area, effects on coal liqn, 122
Isomerization, of tetra-hydroaromatic groups under coal liqn conditions, 401

Kerogen, distribn in Green River oil shale, 1289
–low-temp. conversion, 1269

Lignites, action of nitric acid on; math. models, 1369, 1372
–chars, influence of pyrite on hydrogenation of, 706
–effect of pyrolysis conditions on CaO dispersion and subsequent char reactivity, 209
–humic acids from, characteristics of HA–Ca–P complexes prepared from, 956
––in soln, Ca-complexing capacity of, 869
–microbial desulphurizn by thermophilic bacterium, 1223
–reactivities, in H-transfer liqn process, 471
–US, petrographic compn and liqn behaviour, 627
Limit pore ranges, of reaction of porous C materials with CO_2, 482
Liquid fuels, deposit formn in: effect of organo-sulphur cmpds on stability, 1265

Macerals, inertinite, in Australian coals, carbonizn reactions of, 883
–micrinite, genesis in Australian coals, 639
–in US lignites, and liqn behaviour, 627
Maceral concentrates, from Australian bit. coal, hydrogenation of, 1359
Mass spectrometry/mass spectrometry, capabilities and applicns to fuel-related materials, 829
Mathematical models, of action of nitric acid on lignites, 1369, 1372
–of thermal decompn of coal, 534, 540, 547, 553, 562, 567
Mesophase, formation in coal tar pitches: influence of pyrolytic C particles, 1236
––solvent fractional of petroleum pitch for, 1503
–growth and coalescence, in pitch, coal extract and caking coal, 612
–solubility in pitch distillates, 700, 1499
Metalloporphyrins, in Moroccan oil shales, 963
Metals, in petroleum, catalytic activity of and removal, 44
Methane, catalysed formn from graphite and water, 1138
Methanol, /gasoline blends: blending agents to prevent phase sepn, 268
Micrinite, genesis in Australian coals, 639
Microbial desulphurization, of lignites, 1223
Microhardness, changes during low-temp. oxidn of brown coals, 942
Microporosity, of brown coal, detn using SAXS, 480
Microscopic studies, *in situ,* of solvent-swelling of polished surfaces of coal, 1347
Microscopy, pressure–temp., of pyrite–pyrrhotite transition, 1474
Minerals, in Australian oil shales, X-ray diffractometry, 469
Mineral matter, in brown coals, and ash yield, detd by density measuremts, 389
–in coal, catalytic activity for HDS and HDN, 508
––catalytic effect in coke graphitizn, 502
––effect on coal liqn, 30
––reaction with catalysts during coal gasificn, 205
–role in solvent extn of coal, 916
Mineral matter/ash formula, for low-rank coals, 94
Model(s), of adduction of hydrocarbon and N-contg solvents in coal liqn, 806
–lumped-parameter, for retorting large block of oil shale with int. temp. gradient, 746
Molecular mass, variation of coal extract (SCG and HDS) structure with, 724
Molecular weight, detn between crosslinks of coals from solvent-swelling studies, 112
Mutagenesis, and skin tumour initiation by shale- and coal-derived oils and their distillation fractions, 857

Naphthols, pyrolysis of, 1193
Nickel, formation and gasificn of C deposits on Ni/SiO_2 catalysts, 158
–gasificn of C catalysed by crystallographic and magnetic studies, 155
–low-temp. gasificn of brown coals catalysed by, 150
Nickel catalysts, in gasificn of C, 246
Nickel porphyrins, in Moroccan oil shales, 963
Nitric acid, action on lignites: math. models, 1369, 1372
Nitric oxide, reduction with NH_3 catalysed by H_2SO_4-activated coke, 867
Nitrogen compounds, in coal tar products, g.c.–AFD–m.s. investign, 11, 20
–distribns in hydrotreated shale oil products, 709
Nuclear heat, used in K_2CO_3-catalysed coal gasificn, 242

Oils, crude, distribn of polynuclear aromatic ring classes in, 345
––g.c.–m.s. study of saturate fraction with predominant terrestrial input, 524
–from echoing *in situ* combustion of Utah tar sand, 438
–generation from non-isothermal oil shale retorting: compn and kinetics of, 529
–heavy, from coal hydrogenation: chem. structure of, 4
––recovery of water and alkali used in extn, 1296
––two-stage pyrolysis of, 98
–Saudi Arabian heavy crude, structural characterizn by n.m.r., 518
–vapour-liquid equilibria of the system hydrogen–white oil, 842
Oil sands, Athabasca, recovery of water and alkali used in extn of, 1296
–extracted, detn of residual organic matter in, using low-temp. ashing method, 772
–heavy, chemistry of organosulphur cmpd types in, 959
Oil sands bitumen, Athabasca, characterizn of clay associated with, 353
Oil shales, acoustic wave propagation in, 1215, 1462
–analysis, proximate, using automated thermogravimetry, 580
–analytical methodology review, 756
–Australian, kinetics of decompn of $CaCO_3$ in, 1238
––minerals in, X-ray diffractometry of, 469
–Colorado, electrical conductivity studies, 966
–developmt of FT-i.r. procedures for characterizn of, 1205
–free thermal expansion, 1455
–Green River, distribn of kerogen in, 1289
–large block with internal temp. gradient, lumped-parameter model for retorting of, 746
–low-temp. conversion, 1269
–Moroccan, vanadyl and nickel porphyrins in, 963
–non-isothermal retorting, compn and kinetics of oil generation from, 529
–saline-zone Colorado, pyrolysis kinetics for, 1199
–spent, oxy-reactivity of carbon in, 1283
Optical texture, of cokes, X-ray diffraction examn, 274
–met. cokes, e.s.r. study of formn of, 585
––gasificn reactivities of, 875
Organic oxygenates, pyrolysis studies, 690
Organosulphur compounds, effect on deposit formn in liq. fuels, 1265
–in heavy oil sands, reactivity of, 959
Oxidation, coals, characterizn by magic-angle ^{13}C n.m.r. spectroscopy, 936
––free radical involvement, 1510
–controlled, use of to increase coal surface area, 1393
–effect on coking of Athabasca bitumen, 350
–low-temp., of brown coals, changes in microhardness and reflectance during, 942
––of coal, by FT-i.r., 1387
–partial, of coal prior to liqn, 1116, 1124
–of pyrolysis products from bit. coal, effect on chem. nature and distribn, 395
–ruthenium tetroxide catalysed, of bit. coal, 974
Oxidative heat-hardening, of char/tar briquettes: influence of diffusion resistance in, 1327
Oxygen, intrinsic reactivity of carbons to, 484, 486

–removal during direct liqn of low-rank materials, 445
Oxy-reactivity, of carbon in spent oil shales, 1283

Peat, lime treatmt to enhance dewatering, 749
Perhydronaphthols, pyrolysis of, 1193
Petroleum, catalytic activity of metals in, and their removal, 44
–liquids derived from, selected multiplet ^{13}C n.m.r. spectroscopy of, 34
Petroleum-derived matterials, ^{13}C n.m.r. investign of aromatic C sites in, 39
Petroleum residues, supported alkali catalysts in steam gasificn of, 226
Petroleum substitutes, chem. characterizn of mutagenic neutral aromatic polar fractions of, 1177
Phenol, acidic, reaction of coal in, 918
– – –model cmpd studies, 463
–depolymerizn of coals in, 476
Phenols, in coal: pyrolysis studies on structure of, 1321
Pitch, chars, influence of pyrite on hydrogenation of, 706
–coal-tar, carbonizn of: effect of rank of parent coal, 129
– –medium and high MW, chromatographic and spectroscopic analysis of, 835
–distillates, solubilities of mesophases in, 700, 1499
–petroleum-, co-carbonizn of oxidized coals with, 1355
– –mesophase growth and coalescence, 612
– –formation, solvent fractionation, 1503
Plasticity, NZ coal: capillary viscometry at high pressures and shear stresses, 417
Polynuclear aromatic ring classes, distribn in Alberta basin bitumens and crude oils, 345
Poly(vinylcyclohexane), solvolytic liqn of coal in presence of, 908
Pore development, during carbonizn of bit. and subbit. coals, 645
Pore plugging, for deactivn of hydrodemetallizn catalyst, 817
Pore volume, in active carbons, estn from BET surface area, 1090
Porosity, coals, studied using small-angle neutron scattering, 1092
–of coke-oven charge: math. model of carbonizn, 547
Potassium carbonate catalyst, in C gasificn: *in situ* FT-i.r. study, 256
–in CO_2 gasificn of activated C, 221
–in coal gasificn (CCG) process, 239
–in the coal gasificn process using nuclear heat, 242
–in gasificn of carbon and coal, 249
–and steam gasificn: effects on e.s.r. of carbon black, 331
–in steam gasificn of SGE coal chars, 738
Potassium-compound catalysts, in steam gasificn of coal chars and carbons: FT-i.r. studies, 252
Publications received, 136, 751
Pyridine, depolymerizn of coals in, 476
Pyrite, behaviour in hydropyrolysis of high-S–high-calcite subbit. coal, 615
–in coal, Mössbauer study of effect of additives on decompn of, 932
–effect on free radical formn in coal, 792
–influence on hydrogenation of pitch and lignite chars, 706
Pyrite–pyrrhotite transition, physical characterizn and pressure–temp. microscopy of, 1474
Pyrolysis, coal, effect of oxidn on chem. nature and distribn of products from, 395
– –e.s.r. studies of transient free radicals during, 473
– –medium-temp.: mobility of trace elements, 905
–flash. *See* Flash pyrolysis
–fluidized-bed, of coal tars from: ^{1}H n.m.r. and i.r. spectroscopy, 900
–naphthols, hydronaphthols and perhydronaphthols, 1193
–organic oxygenates, 690
–studies on structure of ethers and phenols in coal, 1321
–two-stage, of tar-sand bitumens, 98
Pyrolysis–gas chromatography, of Australian coals, 303, 311
Pyrolysis kinetics, for saline-zone oil shale, 1199
Pyrrhotite, effect on free radical formn in coal, 792
–role in hydrocracking of diphenylmethane, 1487

Quinoline, incorporation into coal and coal-derived products, 1417
–in pyrite-catalysed coal liqn, 1412

Reactivity, intrinsic, of carbons to oxygen, 484, 486
Reactors, laboratory, for measuring catalytic C and coal gasificn kinetics, 259
Reflectance, changes during low-temp. oxidn of brown coals, 942
Renewable plant materials, as sources of hydrocarbons, 953
Ruthenium tetroxide catalysed oxidation, of bit. coal, 974

Shale-derived liquids, mutagenesis and skin tumour initiation by, 857
Shale oil, Australian, chem. characterizn of, 1274
–determination of polar cmpd, 1445
–products, hydrotreated, N cmpd distribn in, 709
Sodium carbonate, TPD study of gasificn catalyst, 190
Solubilization, bit. coal, by non-reductive ethylation: ^{13}C and ^{1}H n.m.r. study, 412
–partial, and changes in phys. structure of coal on, 1231
Solvents, coal-liqn, containing hydrocarbons or N: extents and models of adduction of, 806
– –sepn methods, and characterizn by chromatography and spectrometry, 799
Solvent extraction, of coal, using carbon disulphide–pyridine mixture, 744
– –influence of pre-swelling on, 979
– –role of min. matter in, 916
–and fluidity of coals, 1227
–supercritical fluid, of coals: direct m.s. analysis of products, 466
–and swelling, in reln to coal structure, 977
–ultrasonic, of brown-coal hydrogenation products, 606
Solvent extracts, coal, varn of structure of SCG and HDS extracts with molecular mass, 724
–supercritical gas extract coal asphaltenes, pyrolysis of, 695
Solvent-refined coal, proton environmt of paramagnetic centres in, 1250
Sulphur, in Assam subbit. coals, XPS study, 840
–in coal, rapid detn of forms of, 1107
–organic, chem. cleaning of coals evaluated by SEM–EDS, 1076
– –SEM–EDX detn in raw and chem. desulphurized coals, 1070
–removal. *See* Desulphurization
Sulphur-based additives, used in benzophenone reduction, 1234
Sulphur compounds, organo-, in heavy oil sands, 959
Surface area, BET, in estn of pore volume in active carbons, 1090
–coals, effect of ferric chloride on, 289
– –swelling during detn of, 279
– –use of controlled oxidn to increase, 1393
–reduction, in bit. coal, during slurry-phase chlorinolysis, 795
Surface chemistry, of coals, ESCA applied to aspects of, 1034
Surface treatment, of coal, analysis of, 1310
Swelling, of coal, in reln to solvent electron-donor numbers, 1229
– –in solvent vapours before solvent extn, 979
– –in surface area detn, 279
–and extraction, by solvents, in reln to coal structure, 977
–solvent-effect on diffusion rates in bit. coal, 1351
– –of polished surfaces of coal: *in situ* microscopic studies, 1347
Syncrude, deactivn of hydrodemetallizn catalyst by pore plugging, 817

Tar, added to coal mix to improve coke strength, 591
Tar sand, Utah, compn of oils produced in echoing *in situ* combustion, 438
Tar-sand bitumen, Utah, characterizn by EPR, 1255
Tetrahydrothiophene, high-temp. hydrolysis and thermolysis of, 959
Thermal expansion, of oil shale, 1455
Thermolysis, in tetralin of substituted anisoles, 342
Tin, catalyst, molten: coal liqn activity of, 407
Trace elements, mobility during medium-temp. coal pyrolysis, 905
Tribute: Professor Dr H.-G. Franck, 133

Ultrasonic study, non-destructive, of effects of heat treatmt and CO_2 gasificn on met. cokes, 865

Vanadyl porphyrins, in Moroccan oil shales, 963
Vitrinites, characterizn using magic-angle ^{13}C n.m.r., 103
Vitrinite concentrates, oxidn, characterizn by magic-angle ^{13}C n.m.r. spectroscopy, 936
Volatile matter, evolution, math. model of coal carbonizn, 534
–influence on coke yield from coals, 1150
–in Victorian brown coals, one-stage and two-stage htg methods compared, 89

Weathering, oxidative, of bit. coal, 781
Wood char, gasificn of hybrid poplar spp. char and effects of intraparticle transport, 213

Zinc chloride catalyst, in coal hydrogenation, 4

Author Index

Abrahamson, J.: see Davies, C. E., 417
Aczel, T.: see Siskin, M., 1321
Adachi, H.: see Kikuchi, E., 226
Ali, M. F.: see Hasan, M. U., 518
Anderson, C.: see Hawley, M. C., 213
Andres, M., Charcosset, H., Chiche, P., Davignon, L., Djega-Mariadassou, G., Joly, J.-P. and Pregermain, S.: Catalysis of coal hydroliquefaction by synthetic iron catalysts, 69
Andrzejak, A.: see Wachowska, H., 85
Angelova, G.: see Douchanov, D., 231
Appa Rao, G. M.: see John, A. V., 981
Appell, H. R.: see Narain, N. K., 1417
Ashe, T. R.: see Schlosberg, R. H., 690
Atkinson, B. and Merrick, D.: Mathematical models of the thermal decomposition of coal: 4. Heat transfer and temperature profiles in a coke-oven charge, 553
Attwood, D. H., Borsaru, R. M. and King, T. N.: Measurement of volatile matter in Victorian brown coal, 89
Audley, G. J.: see Tricker, M. J., 1092
Austin, L. G.: see Moza, A. K., 1468

Babu, D. R. and Cormack, D. E.: Coking of Athabasca bitumen: effect of oxidation and sand, 350
Bainbridge, N. W.: see Nordon, P., 619
Baker, G. G.: see Farnum, S. A., 799
Baldwin, R. M. and Vinciguerra, S.: Coal liquefaction catalysis: iron pyrite and hydrogen sulphide, 498
Balkas, T. I., Bastürk, Ö., Gaines, A. F., Salihoğlu, I. and Yilmaz, A.: Comparison of five humic acids, 373
Baltisberger, R. J.: see Stenberg, V. I., 913, 1234
Barbe, J. M.: see Saoiabi, A., 963
Barbour, R. V.: see Thomas, K. P., 438
Barkenbus, B. D.: see Buchanan, M. V., 1177
Barna, J.: Humic substances – clay complexes in Hungarian coals, 380
Bartle, K. D., Taylor, N., Mulligan, M. J., Mills, D. G. and Gibson, C.: Evaporative analyser as a mass detector in the size-exclusion chromatography of coal extracts, 1181
Bartle, K. D.: see Richards, D. G., 724
Bartle, K. D.: see Stompel, Z. J., 900
Basturk, O.: see Balkas, T. I., 373
Basu, P. and Sarka, A.: Agglomeration of coal ash in fluidized beds, 924
Beall, H., Savage, L. A. and Curry, M.: Reaction of coal with ferric chloride: effect on surface area and dependence on rank, 289
Beshai, J. E.: see George, A. E., 345
Bett, G., Harvey, T. G., Matheson, T. W. and Pratt, K. C.: Determination of polar compounds in Rundle shale oil, 1445
Beuther, H.: see Lambert, Jr., J. M., 1474
Bhatia, V. K., Srivastava, G. S., Garg, V. K., Gupta, Y. K., Rawat, S. S. and Singh, J.: Study of laticiferous (latex-bearing) plants as potential petro-crops, 953
Biermann, D.: see Franck, H.-G., 78
Bitzan, E. F.: see Farnum, S. A., 799
Blanco, R.: see Galiasso, R., 817
Blaustein, B. D.: see Narain, N. K., 1417
Bodily, D. M.: see Yokoyama, S., 4
Bolton, P. D.: see Rovere, C. E., 1274
Bommannavar, A. and Montano, P. A.: Pyrite decomposition in fresh Blacksville No 2 coal: Effect of additives, 932
Born, M. and Klose, E.: Calculation of the limit pore ranges of the reaction of porous carbon materials with CO_2, 482
Borsaru, R. M.: see Attwood, D. H., 89
Bosman, R.: Determination of the inorganic matrix of coal ash from an atmospheric fluid-bed boiler by FT-i.r. analysis, 1009
Botto, R. E. and Winnans, R. E.: Characterization of whole coals by ^{13}C CP/MAS spectroscopy at high field, 271
Boudart, M.: see Holstein, W. L., 162
Boudou, J.-P.: see Dereppe, J.-M., 575
Boyd, M.: see Hawley, M. C., 213
Braekman-Danheux, C.: see Bredael, P., 1193
Branthaver, J. F.: see Thomas, K. P., 438
Bredael, P., Vinh, T. H. and Braekman-Danheux, C.: Pyrolysis of naphthalenic derivatives. 3. Pyrolysis of naphthols, hydronaphthols and perhydronaphthols, 1193
Brendenberg, J. B-son. and Ceylan, R.: Hydrogenolysis and hydrocracking of the carbon–oxygen bond. 3. Thermolysis in tetralin of substituted anisoles, 342
Brenner, D.: *In situ* microscopic studies of the solvent-swelling of polished surfaces of coal, 1347
Brons, G.: see Liotta, R., 781
Bronson, M. C.: see Duvall, F. E. W., 1455
Buchanan, M. V., Kao, G. L., Barkenbus, B. D., Ho, C.-h. and Guerin, M. R.: Chemical characterization of the mutagenic neutral aromatic polar fractions of petroleum substitutes, 1177
Bukhari, A.: see Hasan, M. U., 518
Burchill, P., Herod, A. A. and Pritchard, E.: Investigation of nitrogen compounds in coal tar products. 1. Unfractionated materials, 11
Burchill, P., Herod, A. A. and Pritchard, E.: Investigation of nitrogen compounds in coal tar products. 2. Basic fractions, 20
Burnham, A. K., Huss, E. B. and Singleton, M. F.: Pyrolysis kinetics for Green River oil shale from the saline zone, 1199

Cabera, A. L.: see Casanova, R., 1138
Cahill, R. A.: see Shiley, R. H., 905
Calkins, W. H., Deye, J. F., Hartgrove, R. W., King, C. F. and Krahn, D. F.: Mutagenesis and skin tumour initiation by shale- and coal-derived oils and their distillation fractions, 857
Carson, D.: see Parkash, S., 627
Carson, D. W.: see Cyr, N., 413
Casanova, R., Cabera, A. L., Heinemann, H. and Somorjai, G. A.: Calcium oxide and potassium hydroxide catalysed low temperature methane production from graphite and water. Comparison of catalytic mechanisms, 1138
Cassidy, P. J., Jackson, W. R. and Larkins, F. P.: Hydrogenation of brown coal. IV Model compound studies and mechanistic considerations, 1404
Cerfontain, M. B. and Moulijn, J. A.: Alkali-catalysed gasification reactions studied by in situ FTIR spectroscopy, 256
Ceylan, R.: see Bredenberg, J. B-son, 342
Chaffee, A. L., Perry, G. J. and Johns, R. B.: Pyrolysis–gas chromatography of Australian coals. 1. Victorian brown coal lithotypes, 303
Chaffee, A. L., Perry, G. J. and Johns, R. B.: Pyrolysis–gas chromatography of Australian coals. 2. Bituminous coals, 311
Chan, B. W.: see Khulbe, K. C., 973
Charcosset, H.: see Andres, M., 69
Chatterjee, A. and Prasad, H. N.: Possibilities of tar addition to coal as a method of improving coke strength, 591
Chen, W.-Y., LaCava, A. I. and Graff, R. A.: Flash hydrogenation of coal. 3. A sample of US coals, 56
Chiang, S. H.: see Kara, M., 1492
Chiche, P.: see Andres, M., 69
Chiu, Y. F. and Hong, M. T.: Influence of volatile matter and deposited carbon on coke yield from coals, 1150
Chow, C. K.: Reactivity of hydrolysed coals in liquefaction, 317
Chruściel, E., Jagusztyn, W., Kreft, A., Lenda, A., Przybytowicz, W. and Wozniak, J.: Determination of the ash yield and the mineral matter content of brown coals by density measurements, 389
Chung, K. E.: see Goldberg, I. B., 81
Church, S. M.: see Tricker, M. J., 1092
Ciavaglia, L. A.: see Furimsky, E., 395
Ciupek, J. D., Cooks, R. G., Wood, K. V. and Ferguson, C. R.: Mass spectrometry/mass spectrometry: capabilities and applications to fuel-related materials, 829
Clark, D. T. and Wilson, R.: ESCA applied to aspects of coal surface chemistry, 1034
Clark, P. D., Hyne, J. B. and Tyrer, J. D.: Chemistry of organosulphur compound types occurring in heavy oil sands: 1. High temperature hydrolysis and thermolysis of tetrahydrothiophene in relation to steam stimulation processes, 959
Clarke, D. E.: see Qian, Z., 1084
Clarke, K.: see Grint, A., 1355
Coleman, M. M.: see Rhoads, C., 1387
Colle, K. S., Kim, K. and Wold, A.: Nickel-catalysed carbon gasification: crystallographic and magnetic studies, 155
Collin, P. J., Gilbert, T. D., Philp, R. P. and Wilson, M. A.: Structures of the distillates obtained from hydrogenation and pyrolysis of Liddell coal, 450
Collin, P. J. and Wilson, M. A.: Use of INEPT and GASPE n.m.r. pulse sequences: assignment of position of incorporation of deuterium into tetralin during coal hydrogenation, 1243
Collin, P. J.: see Heng, S., 1359
Cooks, R. G.: see Ciupek, J. D., 829
Cookson, D. J. and Smith, B. E.: Determination of carbon C, CH, CH_2 and CH_3 group abundances in liquids derived from petroleum and coal using selected multiplet ^{13}C n.m.r. spectroscopy, 34

Cookson, D. J. and Smith, B. E.: Investigation of aromatic carbon sites in materials derived from petroleum and coal using ^{13}C n.m.r. methods, 39
Cookson, D. J. and Smith, B. E.: Quantitative estimation of CH_n group abundances in fossil fuel materials using ^{13}C n.m.r. methods, 986
Corcoran, W. H.: see Vasilakos, N. P., 795, 1111
Cormack, D. E.: see Babu, D. R., 350
Coughlin, R. W.: see Lalvani, S., 427
Crisp, P. T.: see Rovere, C. E., 1274
Cronauer, D. C., Ruberto, R. G., Silver, R. S., Jenkins, R. G., Ismail, I. M. K. and Schlyer, D.: Liquefaction of partially dried and oxidized coals. 1. Coal drying and oxidation, 1116
Cronauer, D. C., Ruberto, R. G., Jenkins, R. G., Davis, A., Painter, P. C., Hoover, D. S., Starsinic, M. E. and Schlyer, D.: Liquefaction of partially dried and oxidized coals. 2. Coal characteristics, 1124
Cronauer, D. C.: see McNeil, R. I., 401, 806
Cronauer, D. C.: see Seshadri, K. S., 1436
Cronauer, D. C.: see Snyder, R. W., 1205
Cross, M.: see Voller, 562
Cundy, V. A., Maples, D. and Tauzin, C.: Combustion of bagasse: use of an agricultural-derived waste, 775
Curry, M.: see Beall, H., 289
Curtis, C. W., Guin, J. A., Kwon, K. C., Smith, N. L., Mattson, G. A., Rice, A. and Worley, S. D.: Selectivity of coal minerals using cyclohexane as a probe reactant, 1341
Curtis, C. W.: see Guin, J. A., 1412
Cyprès, R., Ghodsi, M., Neumann, C. and Progneaux, A.: Hydrogenation of pitch and lignite chars under pressure in the presence of pyrite, 706
Cyprès, R.: see Furfari, S., 615
Cyr, N., Gawlak, M., Carson, D. W. and Ignasiak, B. S.: Structural characterization of non-reductively ethylated coal by ^{13}C and ^{1}H n.m.r., 413

Dack, S. W., Hobday, M. D., Smith, T. D. and Pilbrow, J. R.: Free radical involvement in the oxidation of Victorian brown coal, 1510
Daniel, J. L.: see Lytle, J. M., 1299
Daniel, J. L.: see Lytle, J. M., 1304
Daniel, S. R. and Heneman, F. C.: Deposit formation in liquid fuels: 4. Effect of selected organosulphur compounds on the stability of Jet A fuel, 1265
Danik, J. A.: see Schlosberg, R. H., 690
Das, U., Doetschman, D. C., Jones, P. M. and Lee, M.: Electron-spin echoes and saturation in coal, 285
Davies, C. E., Pemberton, S. T. and Abrahamson, J.: Capillary viscometry of a New Zealand coal at high pressures and shear stresses, 417
Davignon, L.: see Andres, M., 69
Davis, A.: see Cronauer, D. C., 1124
Davis, A.: see Havens, J. R., 936
Davis, A.: see Painter, P. C., 103, 742
Davis, A.: see Rhoads, C., 1387
Derbyshire, F. J., Varghese, P. and Whitehurst, D. D.: Two-stage liquefaction of a subbituminous coal, 491
Dereppe, J.-M., Boudou, J.-P., Moreaux, C. and Durand, B.: Structural evolution of a sedimentologically homogeneous coal series as a function of carbon content by solid state ^{13}C n.m.r., 575
DeVera, A.: see Hawley, M. C., 213
Deye, J. F.: see Calkins, W. H., 857
Diessel, C. F. K.: Carbonization reactions of inertinite macerals in Australian coals, 883
Djega-Mariadassou, G.: see Andres, M., 69
Doetschman, D. C.: see Das, U., 285
Doolan, K. J.: see Purnell, A. L., 1107
van Doorn, J.: see Wigmans, T., 190
Dorrence, S. M.: see Thomas, K. P., 438
Douchanov, D. and Angelova, G.: Effect of catalysis and inlet gas on gasification of coal, 231
Dowerah, D.: see Dutta, S. N., 840
Downing, B.: see Thorne, L., 1053
Drake, J. A. G. and Jones, D. W.: Chromatographic and spectroscopic analysis of medium and high molecular-weight coal-tar pitch components, 835
Duba, A.: Electrical conductivity of Colorado oil shale to 900°C, 966
DuBow, J.: see Mraz, T., 1215, 1462
van Duin, P. J.: see Gay, A. J., 1224
Dupre, G. D.: see Schlosberg, R. H., 690
Durand, B.: see Dereppe, J.-M., 575
Dutta, P. K. and Holland, R. J.: Acidic groups in coal and coal-derived materials, 732
Dutta, S. N., Dowerah, D. and Frost, D. C.: Study of sulphur in Assam coals by X-ray photoelectron spectroscopy, 840
Duvall, F. E. W., Sohn, H. Y., Pitt, C. H. and Bronson, M. C.: Physical behaviour of oil shale at various temperatures and compressive loads. 1. Free thermal expansion, 1455

Ekmann, J. M.: see Klinzing, G. E., 1153
Elder, J. P.: Proximate analysis by automated thermogravimetry, 580
Ellis, J.: see Rovere, C. E., 1274
Emmett, P. H.: see Ludvig, M. M., 1393
Ervin, J. O.: see Mattigod, S. V., 927

Farnum, S. A., Farnum, B. W., Bitzan, E. F., Willson, W. G. and Baker, G. G.: Coal liquefaction solvents: 1. Methods of separation; characterization by chromatography and spectrometry, 799
Farnum, B. W.: see Farnum, S. A., 799
Ferguson, C. R.: see Ciupek, J. D., 829
Ferhat, M.: see Saoiabi, A., 963
Filby, R. H.: see Jacobs, F. S., 1186
Forrest, M. and Marsh, H.: Growth and coalescence of mesophase in pitches with carbon black additives and in coal, 612
Forrest, M. and Marsh, H.: Ultrasonic study of the effects on metallurgical cokes of heat treatment and gasification, 865
Franck, H.-G., Stadelhofer, J. W. and Biermann, D.: Solubilization of bituminous coal in aromatic and hydroaromatic solvents, 78
Freeman, J. J. and McLeod, A. I.: Nitrogen BET surface area measurement as a fingerprint method for the estimation of pore volume in active carbons, 1090
Frost, D. C.: see Dutta, S. N., 840
Fujita, H., Hijriyama, M. and Nishida, S.: Gasification reactivities of optical textures of metallurgical cokes, 875
Fujitsu, H.: see Mochida, I., 471, 659, 867
Fukatsu, T.: see Öya, A., 502
Fung, D. P. C. and Kim, S. D.: Laboratory gasification study of Canadian coals. 2. Chemical reactivity and coal rank, 1337
Furfari, S. and Cyprès, R.: Hydropyrolysis of a high-sulphur high-calcite Italian Sulcis coal. 3. Pyrite behaviour, 615
Furimsky, E., MacPhee, J. A., Vancea, L., Ciavaglia, L. A. and Nandi, B. N.: Effect of oxidation on the chemical nature and distribution of low-temperature pyrolysis products from bituminous coal, 395

Gaines, A. F. and Page, F. M.: Comparison of fast atom bombardment, secondary ion and laser microprobe mass spectrometry as techniques for determining coal structure, 1041
Gaines, A. F.: see Balkas, T. I., 373
Galbraith, M. N.: see Koplick, A. J., 1167
Galiasso, R., Blanco, R., Gonzalez, C. and Quinteros, N.: Deactivation of hydrodemetallization catalyst by pore plugging, 817
Gard, G. L.: see Ludvig, M. M., 1393
Garg, V. K.: see Bhatia, V. K., 953
Gates, B. C.: see Westerman, D. W. B., 1376
Gavilan, J. M.: see Martinez, T., 869, 956
Gavilan, J. M.: see Moliner, R., 1369
Gavilan, J. M.: see Moliner, R., 1372
Gawlak, M.: see Cyr, N., 413
Gay, A. J., Littlejohn, R. F. and van Duin, P. J.: Formation of carbonaceous cenospheres during fluidized-bed combustion of bituminous coals, 1224
George, A. E. and Beshai, J. E.: Distribution of polynuclear aromatic ring classes in the Alberta basin bitumens and crude oils, 345
Geus, J. W.: see Kuijpers, E. G. M., 158
Ghodsi, M.: see Cyprès, R., 706
Gibson, C.: see Bartle, K. D., 1181
Gibson, C.: see Richards, D. G., 724
Gilbert, T. D.: see Collin, P. J., 450
Gilmore, G. R.: see Robertson, S. D., 1046
Gladstone, C. M.: see Wong, J. L., 870
Glanville, J. O., Haley, Jr., L. H. and Wightman, J. P.: Analysis of a surface treatment of coal, 1310
Gökcay, C. F. and Yurteri, R. N.: Microbial desulphurization of lignites by a thermophilic bacterium, 1223
Goldberg, I. B. and Chung, K. E.: Dielectric constants of coal-derived liquids and slurries with coal at 750 MHz, 81
Gonzalez, C.: see Galiasso, R., 817
Gould, K. A.: Influence of thermal processing on the properties of Cold Lake asphaltenes. 2. Effect of steam treatment during oil recovery, 370
Graff, R. A.: see Chen, W.-Y., 56
Graham, W. R. M.: see Malhotra, V. M., 1255
Grandy, D. W.: see Petrakis, L., 665, 671, 681, 1066
Grant, D. M.: see Russell, N. J., 601
Gray, V. R.: A formula for the mineral matter to ash ratio for low rank coals, 94
Gray, V. R.: Assessment of quality of New Zealand coals from borecore analyses, 1062
Green, P. D., Johnson, C. A. and Thomas, K. M.: Applications of laser Raman microprobe spectroscopy to the characterization of coals and cokes, 1013
Greer, R. T.: see Straszheim, W. E., 1070
Grigson, S. J. W., Kemp, W., Ludgate, P. R. and Steedman, W.: Pyrolysis of SCG extract coal asphaltenes. Gas chromatographic-mass spectrographic study of the *n*-pentane soluble fraction, 695
Grint, A., Marsh, H. and Clarke, K.: Co-carbonization of oxidized coals with petroleum pitches, 1355
Grint, A.: see Perry, D. L., 1024
Grint, A.: see Tooke, P. B., 1003
Grint, A.: see Tricker, M. J., 1092
Guerin, M. R.: see Buchanan, M. V., 1177

Guilard, R.: see Saoiabi, A., 963
Guin, J. A., Curtis, C. W. and Kwon, K. C.: Pyrite-catalysed coal liquefaction using quinoline/tetrahydroquinoline as an H-donor system, 1412
Guin, J. A.: see Curtis, C. W., 1341
Gülder, Ö. L.: On water–ethanol–gasoline blends as spark ignition engine fuels, 1381
Gupta, Y. K.: see Bhatia, V. K., 953

Haley, Jr., L. H.: see Glanville, J. O., 1310
Hamrin, C. E.: see Sakata, Y., 508
Hanzawa, T.: see Walker, Jr., P. L., 140
Hara, Y.: see Sakawa, M., 571, 585
Hardman, J. S., Lawn, C. J. and Street, P. J.: Further studies of the spontaneous ignition behaviour of activated carbon, 632
Hardy, D.: see Young, L.-J. S., 718
Haringa, H.: see Wigmans, T., 185
Harris, R. K.: see Packer, K. J., 999
Hartgrove, R. W.: see Calkins, W. H., 857
Harvey, T. G.: see Bett, G., 1445
Hasan, M. U., Ali, M. F. and Bukhari, A.: Structural characterization of Saudi Arabian heavy crude oil by n.m.r. spectroscopy, 518
Hatswell, M. R., Jackson, W. R., Larkins, F. P., Marshall, M., Rash, D. and Rogers, D. E.: Hydrogenation of brown coal. 2. Iron-based catalysis, 336
Havens, J. R., Koenig, J. L., Kuehn, D., Rhoads, C., Davis, A. and Painter, P. C.: Characterization of coals and coal oxidation by magic-angle ^{13}C n.m.r. spectroscopy, 936
Havens, J. R.: see Painter, P. C., 103
Hawley, M. C., Boyd, M., Anderson, C. and DeVera, A.: Gasification of wood char and effects of intraparticle transport, 213
Hays, D., Patrick, J. W. and Walker, A.: Binder–filler bonding in anode carbon. Influence of filler coke surface, 1145
Hays, D., Patrick, J. W. and Walker, A.: SEM characterization of cokes and carbons, 1079
Hays, D., Patrick, J. W. and Walker, A.: SEM study of binder coke in electrode carbon, 946
van Heek, K.-H.: see Kubiak, H., 242
van Heek, K.-H.: see Leonhardt, P., 200
Heinemann, H.: see Casanova, R., 1138
Heneman, F. C.: see Daniel, S. R., 1265
Heng, S., Collin, P. J. and Wilson, M. A.: Hydrogenation of maceral concentrates from Bayswater coal: effect of temperature on the yield and mean chemical composition of the product, 1359
Heng, S. and Shibaoka, M.: Hydrogenation of the inertinite macerals of Bayswater coal, 610
Herod, A. A., Hodges, N. J., Pritchard, E. and Smith, C. A.: Mass spectrometric study of the release of HCl and other volatiles from coals during mild heat treatment, 1331
Herod, A. A.: see Burchill, P., 11, 20
Hijriyama, M.: see Fujita, H., 875
Hill, G. R.: see McClennen, W. H., 1422
Hinckley, C. C.: see Shiley, R. H., 905
Hirose, M.: see Kikuchi, E., 226
Ho, C.-h.: see Buchanan, M. V., 1177
Hobday, M. D.: see Dack, S. W., 1510
Hodges, N. J.: see Herod, A. A., 1331
Holding, S. T.: see Robertson, S. D., 1046
Holland, R. J.: see Dutta, P. K., 732
Holmes, S. A. and Thompson, L. F.: Nitrogen compound distributions in hydrotreated shale oil products from commercial-scale refining, 709
Holstein, W. L.: Design of laboratory reactors for the measurement of catalytic carbon and coal gasification kinetics, 259
Holstein, W. L. and Boudart, M.: Transition metal and metal oxide catalysed gasification of carbon by oxygen, water, and carbon dioxide, 162
Homa, T.: see Yamada, T., 246
Hong, M. T.: see Chiu, Y. F., 1150
Hoover, D. S.: see Cronauer, D. C., 1124
Howard, J., Ludman, C. J. and Tomkinson, J.: Inelastic neutron scattering spectra of some English coals: a preliminary study, 1097
Hübner, W.: see Maijgren, B., 1076
Hudgins, R. R.: see Singla, P. K., 645
Huhn, E., Klein, J. and Juntgen, H.: Investigations on the alkali-catalysed steam gasification of coal: kinetics and interaction of alkali catalyst with carbon, 196
Huss, E. B.: see Burnham, A. K., 1199
Huttinger, K. J.: Fundamental problems in iron-catalysed coal gasification – a survey, 166
Hyne, J. B.: see Clark, P. D., 959

Ida, S.: see Mochida, I., 867
Ignasiak, T. M., Kotlyar, L., Longstaffe, F. J., Strausz, O. P. and Montgomery, D. S.: Separation and characterization of clay from Athabasca asphaltene, 353
Ignasiak, T. M., Kotylar, L., Samman, N., Montgomery, D. S. and Strausz, O. P.: Preparative gel permeation chromatography of Athabasca asphaltene and the relative polymer-forming propensity of the fractions, 363
Ignasiak, B. S.: see Cyr, N., 413
Ignasiak, B.: see Parkash, S., 627
Iino, M. and Matsuda, M.: Carbon disulphide-pyridine mixture, a new efficient extraction solvent for coal, 744
Ismail, I. M. K.: see Cronauer, D. C., 1116
Ismail, I. M. K.: see Walker, Jr., P. L., 140
Isaacs, J.: see Liotta, R., 781
Itoh, M., Suzuki, T., Tsujimoto, Y., Yoshii, K.-I., Takegami, Y. and Watanabe, Y.: Two-stage pyrolysis of heavy oils. 3. Pyrolysis of tar-sand bitumens. Relation between ethylene yield and structural characteristics of heavy oils, 98
Itoh, H.: see Ouchi, K., 1227

Jackson, W. R.: see Cassidy, P. J., 1404
Jackson, W. R., Larkins, F. P., Thewlis, P. and Watkins, I.: Rapid extraction of products from coal hydrogenation reactions using an ultrasonic bath, 606
Jackson, W. R.: see Hatswell, M. R., 336
Jacobs, F. S. and Filby, R. H.: Liquid chromatographic fractionation of oil-sand and crude oil asphaltenes, 1186
Jagusztyn, W.: see Chrusciel, E., 389
Jakšić, M.: see Makjanić, J., 1247
Jamaluddin, A. S., Truelove, J. S. and Wall, T. F.: Intrinsic reactivity of carbons to oxygen, 484
Jenkins, R. G.: see Cronauer, D. C., 1116, 1124
Jenkins, R. G.: see Radović, L. R., 209, 849
Jikihara, S.: see Ōya, A., 50
John, A. V., Appa Rao, U. and Appa Rao, G. M.: Note on the use of profile features of Sapozhnikov's plastometric curves for assessment and blending of coking coals, 981
Johns, R. B.: see Chaffee, A. L., 303, 311
Johnson, C. A.: see Green, P. D., 1013
Joly, J.-P.: see Andres, M., 69
Jones, D. W.: see Drake, J. A. G., 835
Jones, G. L.: see Petrakis, L., 665, 671, 681, 1066
Jones, J. and Li, N. C.: Ageing of SRC II middle distillate from Illinois No.6 coal. 1. In presence of copper and oxygen, 1156
Jones, L.: see White, C. M., 1397
Jones, P. M.: see Das, U., 285
Jüntgen, H.: Application of catalysts to coal gasification precesses: incentives and perspectives, 234
Jüntgen, H.: see Huhn, E., 196
Jüntgen, H.: see Leonhardt, P., 200
Jurkiewicz, A.: see Marzec, A., 996
Jurriaans, J.: see Kapteijn, F., 249

Kamiya, Y., Nagae, S. and Oikawa, S.: Effect of coal minerals on the thermal treatment of aromatic ethers and carbonyl compounds, 30
Kao, G. L.: see Buchanan, M. V., 1177
Kapteijn, F. and Moulijn, J. A.: Kinetics of the potassium carbonate-catalysed CO_2 gasification of activated carbon, 221
Kapteijn, F., Jurriaans, J. and Moulijn, J. A.: Formation of intercalate-like structures by heat treatment of K_2CO_3-carbon in an inert atmosphere, 249
Kara, M., Sung, S., Klinzing, G. E. and Chiang, S. H.: Hydrogen mass transfer in liquid hydrocarbons at elevated temperatures and pressures, 1492
Katti, S. S.: see Westerman, D. W. B., 1376
Kelvin, N. V. P. and Staker, R.: Hydroliquefaction of Australian coals with recycled slurry oil in a 1 kg h^{-1} continuous reactor, 295
Kemp, W.: see Grigson, S. J. W., 695
Kenwright, A. M.: see Packer, K. J., 999
Kessick, M. A.: Recovery of water and alkali used in oil sands and heavy oil extraction, 1296
Kershaw, J. R.: Fluorescence spectroscopic analysis of coal-derived liquids: determination of polycyclic aromatic hydrocarbon ring systems and identification of basic nitrogen heterocycles, 1430
Kevan, L.: see Schlick, S., 1250
Khulbe, K. C., Manoogian, A., Chan, B. W., Mann, R. S. and MacPhee, J. A.: Electron spin resonance studies of some Canadian coals, 973
Kikkawa, S.: see Nomura, M., 73
Kikuchi, E., Adachi, H., Momoki, T., Hirose, M. and Morita, Y.: Supported alkali catalysts for steam gasification of carbonaceous residues from petroleum, 226
Kim, K.: see Colle, K. S., 155
Kim, S. D.: see Fung, D. P. C., 1337
King, A. B.: see Petrakis, L., 681
King, C. F.: see Calkins, W. H., 857
King, T. N.: see Attwood, D. H., 89
Kisielow, W.: see Marzec, A., 977
Kiss, L. T.: see Setek, M., 480
Kirk, D. W.: Conductivity of gasoline–ethanol–water mixtures, 1512
Klein, J.: see Huhn, E., 196
Klinzing, G. E. and Ekmann, J. M.: Characterization of coal–oil mixtures by a pseudo diffusivity parameter, 1153
Klinzing, G. E.: see Kara, M., 1492
Klose, E.: see Born, M., 482
Knudson, C. L.: see Stenberg, V. I., 1234
Kobylinski, T. P.: see Wen, C. S., 1269

Koenig, J. L.: see Havens, J. R., 936
Koenig, J. L.: see Painter, P. C., 103
Komatsubara, Y.: see Mochida, I., 867
Konopka, K. L.: see Shiley, R. H., 905
Koplick, A. J. and Wailes, P. C.: Constitution of tars from the flash pyrolysis of Australian coals. 1. Separation, 1161
Koplick, A. J., Wailes, P. C., Galbraith, M. N. and Vit, I.: Constitution of tars from the flash pyrolysis of Australian coals. 2. Structural study of Millmerran coal-tar resins by hydrogenolysis, 1167
Korai, Y. and Mochida, I.: Co-carbonization processes of a petroleum asphalt and coal-derived liquids: an approach to co-carbonization compatibility, 893
Korai, Y., Yoshida, Y., Takeshita, K. and Mochida, I.: Carbonization of coals to produce anisotropic cokes. 3. Evaluation of low-rank bituminous and subbituminous coals by single and co-carbonizations with pitch, 649
Korai, Y.: see Mochida, I., 471, 659
Kosky, P. G.: see McKee, D. W., 217
Kosky, P. G.: see Spiro, C. L., 180, 323
Kotlyar, L.: see Ignasiak, T. M., 353, 363
Krahn, D. F.: see Calkins, W. H., 857
Kreft, A.: see Chrusciel, E., 389
Kubiak, H., Schroter, H.-J., Sulimma, A. and van Heek, K. H.: Application of K_2CO_3 catalysts in the coal gasification process under nuclear heat, 242
Kuehn, D.: see Havens, J. R., 936
Kuehn, D. W.: see Painter, P. C., 103
Kuhn, L. and Plogmann, H.: Reaction of catalysts with mineral matter during coal gasification, 205
Kuijpers, E. G. M. and Geus, J. W.: Formation and gasification of carbon deposits on Ni/SiO_2 catalysts, 158
Kurs, A.: see Schlosberg, R. H., 690
Kwon, K. C.: see Curtis, C. W., 1341
Kwon, K. C.: see Guin, J. A., 1412

LaCava, A. I.: see Chen, W.-Y., 56
Lalvani, S., Pata, M. and Coughlin, R. W.: Sulphur removal from coal by electrolysis, 427
Lambert, Jr., J. M., Walker, Jr. P. L., Perrotta, A. J., McCullough, J. P. and Beuther, H.: Physical characterization and pressure-temperature microscopy of the pyrite–pyrrhotite transformation, 1474
Lamby, E. J.: see McKee, D. W., 217
Lamby, E. J.: see Spiro, C. L., 180, 323
Larkins, F. P.: see Cassidy, P. J., 1404
Larkins, F. P.: see Hatswell, M. R., 336
Larkins, F. P.: see Jackson, W. R., 606
Larsen, J. W. and Lee, D.: Effect of solvent swelling on diffusion rates in bituminous coal, 1352
Larsen, J. W. and Lee, D.: Reactions of coal in acidic phenol. Model compound studies, 463
Larsen, J. W. and Lee, D.: Reaction of coals in hot acidic phenol at constant acid concentration, 918
Larsen, J. W., Yürüm, Y. and Sams, T. L.: Depolymerization of coals in hot pyridine or phenol, 476
Larsen, J. W.: see Weyrich, O. R., 976
Laugier, S., Richon, D. and Renon, H.: Vapour-liquid equilibria hydrogen-white oil up to 625.1 K and 35 MPa, 842
Lawn, C. J.: see Hardman, J. S., 632
Ledingham, K. W. D.: see Robertson, S. D., 1046
Lee, D.: see Larsen, J. W., 463, 918
Lee, D.: see Larsen, J. W., 1352
Lee, M.: see Das, U., 285
Lenda, A.: see Chrusciel, E., 389
Leonhardt, P., Sulimma, A., van Heek, K.-H. and Juntgen, H.: Steam gasification of German hard coal using alkaline catalysts: effects of carbon burn-off and ash content, 200
Li, N. C.: see Jones, L., 1156
Li, C.-L.: see Westerman, D. W. B., 1376
Li, N. C.: see White, C. M., 1397
Li, N. C.: see Young, L.-J. S., 718
Liotta, R., Brons, G. and Isaacs, J.: Oxidative weathering of Illinois No.6 coal, 781
Littlejohn, R. F.: see Gay, A. J., 1224
Longstaffe, F. J.: see Ignasiak, T. M., 353
Ludgate, P. R.: see Grigson, S. J. W., 695
Ludman, C. J.: see Howard, J., 1097
Luo, Y.: Study on the cooling correction in bomb calorimetry, 845
Ludvig, M. M., Gard, G. L. and Emmett, P. H.: Use of controlled oxidation to increase the surface area of coal. Application to a bituminous and a semi-anthracite coal, 1393
Lytle, J. M., Daniel, J. L. and Prisbrey, K. A.: Effect of microstructure on the size and shape of coal particles during comminution, 1304
Lytle, J. M., Daniel, J. L. and Tingey, G. L.: Concentration of sulphur and mineral rich components in particle classes during coal comminution, 1299

McCarthy, D. J.: Kinetics of decomposition of $CaCO_3$ in an Australian oil shale, 1238
McCarthy, D. J.: Oxy-reactivity of carbon in spent oil shales: comparative study using three shales, 1283
McClennen, W. H., Meuzelaar, H. L. C., Metcalf, G. S. and Hill, G. R.: Characterization of phenols and indanols in coal-derived liquids. Use of Curie-point vaporization gas chromatography mass spectrometry, 1422
McCormick, G.: see Thorne, L., 1053
McCullough, J. P.: see Lambert, Jr., J. M., 1474
McCullough, J. P.: see Romovacek, G. R., 1236
McKee, D. W.: Mechanisms of the alkali metal catalysed gasification of carbon, 170
McKee, D. W., Spiro, C. L., Kosky, P. G. and Lamby, E. J.: Catalysis of coal char gasification by alkali metal salts, 217
McKee, D. W.: see Spiro, C. L., 180, 323
McKeough, P. J.: Oxygen removal during the direct liquefaction of low-rank materials: Stoichiometric considerations, 445
McLeod, A. I.: see Freeman, J. J., 1090
McNeil, R. I., Cronauer, D. C. and Young, D. C.: Isomerization of tetra-hydroaromatic groups under coal liquefaction conditions, 401
McNeil, R. I., Young, D. C. and Cronauer, D. C.: Extents and models of adduction of hydrocarbon and nitrogen-containing solvents in coal liquefaction, 806
MacPhee, J. A.: see Furimsky, E., 395
MacPhee, J. A.: see Khulbe, K. C., 973
Maijgren, B., Hübner, W., Norrgård, K. and Sundvall, S.-B.: Determination of organic sulphur in raw and chemically cleaned coals by scanning electron microscopy and energy dispersive X-ray spectrometry, 1076
Majid, A. and Sparks, B. D.: Determination of residual organic matter in extracted oil sands using a low temperature ashing method, 772
Makabe, M.: see Ouchi, K., 1227
Makjanić, J., Orlić, I., Jakšić, M., Marijanović, P., Raos, D., Rendić, D. and Valković, V.: Elemental analysis of coal using X-ray spectroscopy, 1247
Malhotra, V. M. and Graham, W. R. M.: Characterization of P.R. Spring (Utah) tar sand bitumen by the EPR technique: free radicals, 1255
Mann, R. S.: see Khulbe, K. C., 973
Manoogian, A.: see Khulbe, K. C., 973
Marcourt, M., Paquay, V., Piel, A. and Pirard, J.-P.: Coal gasification at pressure by mixtures of carbon dioxide and oxygen, 823
Marijanović, P.: see Makjanić, J., 1247
Markova, K. and Valceva, S.: Oxidation of some Bulgarian coals. Influence of low-temperature oxidation on the microhardness and reflectivity of some brown coals, 942
Markuszewski, R.: see Straszheim, W. E., 1070
Marsh, H.: see Grint, A., 1355
Marsh, H.: see Forrest, M., 612, 865
Marsh, H.: see Ōya, A., 274, 502
Marsh, H.: see Qian, Z., 1084
Marshall, M.: see Hatswell, M. R., 336
Martinez, T., Romero, C. and Gavilan, J. M.: Behaviour in solution of humic acids from lignite in the presence of calcium ions, 869
Martinez, M. T., Romero, C. and Gavilan, J. M.: Characteristics of Ha–Ca–P complexes prepared from lignite humic acids, 956
Marzec, A. and Kisielow, W.: Mechanism of swelling and extraction and coal structure, 977
Marzec, A., Jurkiewicz, A. and Pislewski, N.: Application of ^1H pulse n.m.r. to the determination of molecular and macromolecular phases in coals, 996
Marzec, A.: see Pajak, J., 979
Matheson, T. W.: see Bett, G., 1445
Marzec, A.: see Szeliga, J., 1229
Matsuda, M.: see Iino, M., 744
Matsumoto, S.: see Walker, Jr., P. L., 140
Matsunaga, S.-I.: see Matsuura, M., 407
Matsuura, M., Matsunaga, S.-I., Ozawa, S. and Ogino, Y.: Studies on catalysis by molten metals. XV. Coal liquefaction activity of liquid tin catalyst, 407
Mattigod, S. V. and Ervin, J. O.: Scheme for density separation and identification of compound forms in size-fractionated fly ash, 927
Mattson, G. A.: see Curtis, C. W., 1341
Maylotte, D. H.: see Spiro, C. L., 323
Merrick, D.: Mathematical models of the thermal decomposition of coal: 1. The evolution of volatile matter, 534
Merrick, D.: Mathematical models of the thermal decomposition of coal: 2. Specific heats and heats of reaction, 540
Merrick, D.: Mathematical models of the thermal decomposition of coal: 3. Density, porosity and contraction behaviour, 547
Merrick, D.: Mathematical models of the thermal decomposition of coal: 6. Effect of blend composition on coke strength, 567
Merrick, D.: see Atkinson, B., 553
Merrick, D.: see Voller, V. R., 562
Metcalf, G. S.: see McClennen, 1422

Meuzelaar, H. L. C.: see McClennen, W. H., 1422
Miller, D.: see Stenberg, V. I., 1487
Miller, D. E.: see Richardson, J. S., 524
Mills, D. G.: see Bartle, K. D., 1181
Mims, C. A. and Pabst, J. K.: Role of surface salt complexes in alkali-catalysed carbon gasification, 176
Mirza, Z. B.: see Sharma, D. K., 292, 479, 916
Miura, S.: see Singla, P. K., 645
Miyake, M.: see Nomura, M., 73
Mochida, I., Moriguchi, Y., Shimohara, T., Korai, Y., Fujitsu, H. and Takeshita, K.: Enhanced reactivity of some lignites by deashing pretreatment in hydrogen-transferring liquefaction under atmospheric pressure, 471
Mochida, I., Ogaki, M., Fujitsu, H., Komatsubara, Y. and Ida, S.: Catalytic activity of coke activated with sulphuric acid for the reduction of nitric oxide, 867
Mochida, I., Shimohara, T., Korai, Y., Fujitsu, H. and Takeshita, K.: Carbonization of coals to produce anisotropic cokes. 4. Improving cocarbonization behaviour of bituminous and sub-bituminous coals with pitch by pretreatment coals to remove cations, 659
Mochida, I.: see Korai, Y., 649, 893
Moliner, R., Ruiz, C., Uliaque, C. and Gavilan, J. M.: Action of nitric acid on lignites; mathematical models. 1. Humic substances and acidity of nitrolignites, 1369
Moliner, R., Ruiz, C., Uliaque, C. and Gavilan, J. M.: Action of nitric acid on lignites; mathematical models. 2. Nitrogen forms, 1372
Momoki, T.: see Kikuchi, E., 226
Montano, P. A.: see Bommannavar, A., 932
Montgomery, D. S.: see Ignasiak, T. M., 353, 363
Moreaux, C.: see Dereppe, J.-M., 575
Moriguchi, Y.: see Mochida, I., 471
Morita, Y.: see Kikuchi, E., 226
Moschopedis, S. E.: see Parkash, S., 1231
Moulijn, J. A.: see Cerfontain, M. B., 256
Moulijn, J. A.: see Kapteijn, F., 221, 249
Moulijn, J. A.: see Wigmans, T., 185, 190
Moza, A. K. and Austin, L. G.: Analysis of pulverized coal particles (10–100 μm) for Fe, S, Ca, Si and Al on a particle-by-particle basis, 1468
Mraw, S. C.: Comments on 'Thermodynamics of the transformations of oxygen- and sulphur-containing functional groups during coal liquefaction in hydrogen and hydrogen donor' by Lance Messenger and Amir Attar, 1379
Mraz, T., DuBow, J. and Rajeshwar, K.: Acoustic wave propagation in oil shale. 1. Experiments, 1215
Mraz, T., DuBow, J. and Rajeshwar, K.: Acoustic wave propagation in oil shale: 2. Modelling, 1462
Muira, T.: see Walker, Jr., P. L., 140
Muller, R.: see Reinhardt, D., 262
Mulligan, M. J.: see Bartle, K. D., 1181
Mulligan, M. J.: see Richards, D. G., 724

Nagae, S.: see Kamiya, Y., 30
Nahas, N. C.: Exxon catalytic coal gasification process, 239
Nandi, B. N.: see Furimsky, E., 395
Narain, N. K., Utz, B. R., Appell, H. R. and Blaustein, B. D.: Incorporation of quinoline into coal and coal-derived products, 1417
Narayana, M.: see Schlick, S., 1250
Nelson, J. R.: Determination of molecular weight between crosslinks of coals from solvent-swelling studies, 112
Neumann, C.: see Cyprès, R., 706
Nishida, S.: see Fujita, H., 875
Noble, R. D.: see Wang, C. C., 529
Nomura, M., Sakashita, H., Miyake, M. and Kikkawa, S.: Comparison of coal hydroliquefaction catalysed by $ZnCl_2$-MCl_n (CuCl, $CrCl_3$ and $MoCl_5$) and $ZnCl_2$ melts, 73
Nordon, P. and Bainbridge, N. W.: Heat of wetting of a bituminous coal, 619
Norrgård, K.: see Maijgren, B., 1076

Obara, T., Yokono, T. and Sanada, Y.: Relationships between hydrogen donor abilities and chemical structure of aromatic compounds in terms of coal liquefaction, 813
Ogaki, M.: see Mochida, I., 867
Ogawa, T.: see Stenberg, V. I., 1487
Ogino, Y.: see Matsuura, M., 407
Ohtsuka, Y.: see Tomita, A., 150
Oikawa, S.: see Kamiya, Y., 30
Olmstead, W. N.: see Schlosberg, R. H., 690
Onischak, M.: see Rush, W. F., 459
Orlić, I.: see Makjanić, J., 1247
Osten, D. W. and Sell, N. J.: Methanol–gasoline blends: blending agents to prevent phase separation, 268
Ōtani, S.: see Ōya, A., 50, 502
Ōtani, S.: see Park, Y. D., 700, 1499
Ouchi, K., Tanimoto, K., Makabe, M. and Itoh, H.: Relation between fluidity and solvent extraction yield of coals, 1227
Ouchi, K.: see Takemura, Y., 1133
Ōya, A., Fakatsu, T., Ōtani, S. and Marsh, H.: Catalytic graphitization of cokes by indigenous mineral matter, 502
Ōya, A., Jikihara, S. and Ōtani, S.: Catalytic graphitization of a phenolic resin carbon by nickel ($\approx$100 μm): selective gasification of three resultant components as studied by SEM, 50
Ōya, A., Qian, Z. and Marsh, H.: Structural study of cokes using optical microscopy and X-ray diffraction, 274
Ōya, A.: see Park, Y. D., 700, 1499
Ozawa, S.: see Matsuura, M., 407

Pabst, J. K.: see Mims, C. A., 176
Packer, K. J., Harris, R. K., Kenwright, A. M. and Snape, C. E.: Quantitative aspects of solid state ^{13}C n.m.r. of coals and related materials, 999
Page, F. M.: see Gaines, A. F., 1041
Painter, P. C., Kuehn, D. W., Starsinic, M., Davis, A., Havens, J. R. and Koenig, J. L.: Characterization of vitrinite concentrates. Magic-angle ^{13}C nuclear magnetic resonance studies, 103
Painter, P. C., Starsinic, M., Squires, E. and Davis, A. A.: Concerning the 1600 cm^{-1} region in the i.r. spectrum of coal, 742
Painter, P. C.: see Cronauer, D. C., 1124
Painter, P. C.: see Havens, J. R., 936
Painter, P. C.: see Rhoads, C., 1387
Painter, P. C.: see Snyder, R. W., 1205
Pajak, J. and Marzec, A.: Influence of pre-swelling on extraction of coal, 979
Park, Y. D., Ōya, A. and Ōtani, S.: Factors governing the solubility of mesophase into pitch distillate, 1499
Park, Y. D., Ōya, A. and Ōtani, S.: Solubilities of mesophases into pitch distillates, 700
Parkash, S., Carson, D. and Ignasiak, B.: Petrographic composition and liquefaction behaviour of North Dakota and Texas lignites, 627
Parkash, S. and Moschopedis, S. E.: Changes in the physical structure of coal on partial solubilization, 1231
Pata, M.: see Lalvani, S., 427
Patel, K. B.: see Reucroft, P. J., 279
Patrick, J. W., Reynolds, M. J. and Walker, A.: Carbonization of coal-tar pitches: effect of rank of parent coal, 129
Patrick, J. W., Reynolds, M. J. and Walker, A.: Coal carbonization and coke anisotropy: some comments, 131
Patrick, J. W.: see Hays, D., 946, 1079, 1145
Patzer, II, J. F.: Distribution of kerogen in Green River shale: an assessment of oil shale beneficiation potential, 1289
Pawlak, W.: see Wachowska, H., 85
Pemberton, S. T.: see Davies, C. E., 417
Perotta, A. J.: see Lambert, Jr., J. M., 1474
Perotta, A. J.: see Romovacek, G. R., 1236
Perry, D. L. and Grint, A.: Application of XPS to coal characterization, 1024
Perry, G. J.: see Chaffee, A. L., 303, 311
Petrakis, L., Grandy, D. W. and Jones, G. L.: Free radicals in coal and coal conversions. 8. Experimental determination of conversion in hydroliquefaction, 665
Petrakis, L., Jones, G. L. and Grandy, D. W.: Free radicals in coal and coal conversions. 9. Statistical correlative models of the effect of process variables on hydroliquefaction products, 671
Petrakis, L., Jones, G. L., Grandy, D. W. and King, A. B.: Free radicals in coal and coal conversions. 10. Kinetics and reaction pathways in hydroliquefaction, 681
Petrakis, L., Grandy, D. W. and Jones, G. L.: Use of in-situ electron paramagnetic resonance to assess formation of free radicals and their role in the hydroliquefaction of coal, 1066
Petrakis, L.: see Westerman, D. W. B., 1376
Philp, R. P.: see Collin, P. J., 450
Pilbrow, J. R.: see Dack, S. W., 1510
Pislewski, N.: see Marzec, A., 996
Pitt, C. H.: see Duvall, F. E. W., 1455
Plogmann, H.: see Kuhn, L., 205
Poppleton, B. J. and Triffett, A. C. K.: Viscosity modification of flash pyrolysis tars, 1514
Prasad, K. B. S. and Venkatesham, M.: Influence of diffusion resistance in oxidative heat-hardening of char/tar briquettes, 1327
Prasad, H. N.: see Chatterjee, A., 591
Pratt, K. C.: see Bett, G., 1445
Pregermain, S.: see Andres, M., 69
Price, B.: see Thorne, L., 1053
Prisbrey, K. A.: see Lytle, J. M., 1304
Pritchard, E.: see Burchill, P., 11, 20
Pritchard, E.: see Herod, A. A., 1331
Progneaux, A.: see Cyprès, R., 706
Przybytowicz, W.: see Chrusciel, 389
Pugmire, R. J.: see Russell, N. J., 601
Purnell, A. L. and Doolan, K. J.: Rapid determination of forms of sulphur in coal, 1107

Qian, Z., Clarke, D. E. and Marsh, H.: Structure in cokes from coals of different rank, 1084
Qian, Z.: see Ōya, A., 274
Quinteros, N.: see Galiasso, R., 817

Radović, L. R., Walker, Jr., P. L. and Jenkins, R. G.: Effect of lignite pyrolysis conditions on calcium oxide dispersion and subsequent char reactivity, 209

Radović, L. R., Walker, Jr., P. L. and Jenkins, R. G.: Importance of carbon active sites in the gasification of coal chars, 849
Rainey, V. S.: see Tricker, M. J., 1092
Rajan, S. and Saniee, F. F.: Water–ethanol–gasoline blends as spark ignition engine fuels, 117
Rajeshwar, K.: see Mraz, T., 1215, 1462
Rankel, L. A. and Rollmann, L. D.: Catalytic activity of metals in petroleum and their removal, 44
Raos, D.: see Makjanić, J., 1247
Rash, D.: see Hatswell, M. R., 336
Rawat, S. S.: see Bhatia, V. K., 953
Reinhardt, D. and Muller, R.: Steam solubility of catalytically active salts and its application to catalytic steam gasification of coal with integrated catalyst recycle, 262
Rendić, D.: see Makjanić, J., 1247
Renon, H.: see Laugier, S., 842
Retcofsky, H. L.: see Sprecher, R. F., 473
Reucroft, P. J. and Patel, K. B.: Surface area and swellability of coal, 279
Reynolds, M. J.: see Patrick, J. W., 129, 131
Rhoads, C., Senftle, J. T., Coleman, M. M., Davis, A. and Painter, P. C.: Further studies of coal oxidation, 1387
Rhoads, C.: see Havens, J. R., 936
Rice, A.: see Curtis, C. W., 1341
Richards, D. G., Snape, C. E., Bartle, K. D., Gibson, C., Mulligan, M. J. and Taylor, N.: Variation of coal extract structure with molecular mass, 724
Richardson, J. S. and Miller, D. E.: Biologically-derived compounds of significance in the saturate fraction of a crude oil having a predominant terrestrial input, 524
Richon, D.: see Laugier, S., 842
Robertson, S. D., Holding, S. T., Gilmore, G. R. and Ledingham, K. W. D.: Assessment of coal quality – the nuclear option, 1046
Rogers, D. E.: see Hatswell, M. R., 336
Rollmann, L. D.: see Rankel, L. A., 44
Romero, C.: see Martinez, T., 869, 956
Romovacek, G. R., McCullough, J. P. and Perrotta, A. J.: Formation of mesophase in coal tar pitches. Influence of pyrolytic carbon particles, 1236
Rovere, C. E., Crisp, P. T., Ellis, J. and Bolton, P. D.: Chemical characterization of shale oil from Condor, Australia, 1274
Ruberto, R. G.: see Cronauer, D. C., 1116, 1124
Ruiz, C.: see Moliner, R., 1369
Ruiz, C.: see Moliner, R., 1372
Rush, W. F. and Onischak, M.: Criterion for selective microwave heating of sulphur in coal, 459
Russell, N. J., Wilson, M. A., Pugmire, R. J. and Grant, D. M.: Preliminary studies on the aromaticity of Australian coals: solid state n.m.r. techniques, 601
Russell, N. J.: see Shibaoka, M., 607

Sadakata, M.: see Saito, M., 1481
Saito, M., Sadakata, M. and Sakai, T.: Single droplet combustion of coal–oil/methanol/water mixtures, 1481
Sakai, T.: see Saito, M., 1481
Sakashita, H.: see Nomura, M., 73
Sakata, Y. and Hamrin, C. E.: Catalytic activity of mineral matter from Western Kentucy coals for hydrodesulphurization and hydrodenitrogenation, 508
Sakawa, M., Uno, T. and Hara, Y.: E.s.r. study of formation of coke texture, 585
Sakawa, M., Uno, T. and Hara, Y.: Influence of aluminium chloride on carbonization of coal model compounds and coal derivatives, 571
Salihoglu, I.: see Balkas, T. I., 373
Samman, N.: see Ignasiak, T. M., 363
Sams, D. A. and Shadman, F.: Catalytic effect of potassium on the rate of char–CO_2 gasification, 880
Sams, T. L.: see Larsen, J. W., 476
Sanada, Y.: see Obara, T., 813
Sancier, K. M.: Effects of catalysts and steam gasification on e.s.r. of carbon black, 331
Saniee, F. F.: see Rajan, S., 117
Saoiabi, A., Ferhat, M., Barbe, J. M. and Guilard, R.: Metals, including vanadyl and nickel porphyrins, in the oil shales of Timahdit, Morocco, 963
Saporoschenko, M.: see Shiley, R. H., 905
Sarka, A.: see Basu, P., 924
Sarkar, M. K.: see Sharma, D. K., 292, 479
Savage, L. A.: see Beall, L. A., 289
Schlick, S., Narayana, M. and Kevan, L.: Proton environment of paramagnetic centres in natural and solvent refined bituminous coal: use of multifrequency electron spin resonance and electron spin echo modulation spectrometry, 1250
Schlosberg, R. H., Szajowski, P. F., Dupre, G. D., Danik, J. A., Kurs, A., Ashe, T. R. and Olmstead, W. N.: Pyrolysis studies of organic oxygenates. 3. High temperature rearrangement of aryl alkyl ethers, 690
Schlyer, D.: see Cronauer, D. C., 1116, 1124
Schoening, F. R. L.: X-ray structure of some South African coals before and after heat treatment at 500 and 1000°C, 1315
Schroter, H.-J.: see Kubiak, H., 242
Seehra, M. S.: see Srinivasan, G., 792
Sekiguchi, Y. and White, D. H.: Solvolytic liquefaction of coal in the presence of poly(vinylcyclohexane), 908
Sell, N. J.: see Osten, D. W., 268
Senftle, J. T.: see Rhoads, C., 1387
Seshadri, K. S. and Cronauer, D. C.: Characterization of coal-derived liquids by ^{13}C n.m.r. and FT-i.r. spectroscopy: fractions of middle and heavy distillates of SRC-II, 1436
Setek, M., Wagenfeld, H. K., Stacy, W. O. and Kiss, L. T.: Determination of microporosity of brown coal. Small angle X-ray scattering, 480
Shadman, F.: see Sams, D. A., 880
Sharma, D. K. and Mirza, Z. B.: Role of mineral matter in the chemical reactivity of coal, 916
Sharma, D. K., Mirza, Z. B. and Sarkar, M. K.: Enhancement of benzene-methanol extraction (low molecular weight products) of coal in depolymerization reactions, 479
Sharma, D. K., Mirza, Z. B. and Sarkar, M. K.: Solvolytic extraction of coal through acylation and amidomethylation, 292
Sharp, J. J.: Treatment of fuel peat by the addition of lime with a freeze-thaw cycle, 749
Shibaoka, M.: Genesis of micrinite in some Australian coals, 639
Shibaoka, M. and Russell, N. J.: Applications of fluorescence microscopy to investigation of coal hydrogenation residues, 607
Shibaoka, M.: see Heng, S., 610
Shih, S.-M.: Lumped-parameter model for the retorting of a large block of oil shale with an internal temperature gradient, 746
Shiley, R. H., Konopka, K. L., Cahill, R. A., Hinckley, C. C., Smith, G. V., Twardowska, H. and Saporoschenko, M.: Methods for detecting the mobility of trace elements during medium-temperature pyrolysis, 905
Shimohara, T.: see Mochida, I., 471, 659
Shue, F.-F. and Yen, T. F.: Application of lanthanide n.m.r. shift reagents for functional group studies of shale bitumen asphaltenes, 127
Silver, R. S.: see Cronauer, D. C., 1116
Silveston, P. L.: see Singla, P. K., 645
Singh, J.: see Bhatia, V. K., 953
Singla, P. K., Miura, S., Hudgins, R. R. and Silveston, P. L.: Pore development during carbonization of coals, 645
Singleton, M. F.: see Burnham, A. K., 1199
Siskin, M. and Aczel, T.: Pyrolysis studies on the structure of ethers and phenols in coal, 1321
Slansky, E.: Minerals in some Australian oil shales, 469
Smith, B. E.: see Cookson, D. J., 34, 39, 986
Smith, N. L.: see Curtis, C. W., 1341
Smith, C. A.: see Herod, A. A., 1331
Smith, G. V.: see Shiley, R. H., 905
Smith, R. D. and Udseth, H. R.: New method for the direct analysis of supercritical fluid coal extraction and liquefaction, 466
Smith, T. D.: see Dack, S. W., 1510
Snape, C.: Estimation of aliphatic H/C ratios for coal liquefaction products by spin-echo ^{13}C n.m.r., 621
Snape, C. E.: see Packer, K. J., 999
Snape, C. E.: see Richards, D. G., 724
Snyder, R. W., Painter, P. C. and Cronauer, D. C.: Development of FT-i.r. procedures for the characterization of oil shale, 1205
Sohn, H. Y.: see Duvall, F. E. W., 1455
Somorjai, G. A.: see Casanova, R., 1138
Sparks, B. D.: see Majid, A., 772
Spiro, C. L., McKee, D. W., Kosky, P. G. and Lamby, E. J.: Catalytic CO_2-gasification of graphite *versus* coal char, 180
Spiro, C. L., McKee, D. W., Kosky, P. G., Lamby, E. J. and Maylotte, D. H.: Significant parameters in the catalysed CO_2 gasification of coal chars, 323
Spiro, C. L.: see McKee, D. W., 217
Sprecher, R. F. and Retcofsky, H. L.: Observation of transient free radicals during coal pyrolysis, 473
Squires, E.: see Painter, P. C., 742
Srinivas, V. R.: see Stenberg, V. I., 913
Srinivasan, G. and Seehra, M. S.: Effect of pyrite and pyrrhotite on free radical formation in coal, 792
Srivastava, G. S.: see Bhatia, V. K., 953
Stacy, W. O.: see Setek, M., 480
Stadelhofer, J. W.: see Franck, H.-G., 78
Staker, R.: see Kelvin, N. V. P., 295
Starsinic, M. E.: see Cronauer, D. C., 1124
Starsinic, M.: see Painter, P. C., 103, 742
Steedman, W.: see Grigson, S. J. W., 695
Stenberg, V. I., Ogawa, T., Willson, W. G. and Miller, D.: Hydrocracking of diphenylmethane: roles of H_2S and pyrrhotite, 1487
Stenberg, V. I., Srinivas, V. R., Sweeny, P., Baltisberger, R. J. and Woolsey, N. F.: Dealkylation of N,N-dimethylaniline with sulphur and hydrogen sulphide, 913
Stenberg, V. I., Wettlaufer, D., Baltisberger, R. J., Knudson, C. L. and Woolsey, N. F.: Benzophenone reduction using sulphur-based additives, 1234

Stock, L. M. and Tse, K.: Ruthenium tetroxide catalysed oxidation of Illinois No.6 coal and some representative hydrocarbons, 974
Stohl, F. V.: The effects of iron sulphide surface area variations on coal liquefaction, 122
Stompel, Z. J. and Bartle, K. D.: Structural analysis of tars from fluidized bed pyrolysis of coal: 2. ^{1}H n.m.r. and i.r. spectroscopy, 900
Straszheim, W. E., Greer, R. T. and Markuszewski, R.: Direct determination of organic sulphur in raw and chemically desulphurized coals, 1070
Strausz, O. P.: see Ignasiak, T. M., 353, 363
Street, P. J.: see Hardman, J. S., 632
Sulimma, A.: see Kubiak, H., 242
Sulimma, A.: see Leonhardt, P., 200
Sundvall, S.-B.: see Maigren, B., 1076
Sung, S.: see Kara, M., 1492
Suzuki, T.: see Itoh, M., 98
Sweeny, P.: see Stenberg, V. I., 913
Szajowski, P. F.: see Schlosberg, R. H., 690
Szeliga, J. and Marzec, A.: Swelling of coal in relation to solvent electron-donor numbers, 1229

Takarada, T.: see Tomita, A., 62
Takegami, Y.: see Itoh, M., 98
Takemura, Y. and Ouchi, K.: Catalytic liquefaction of various coals using a mixture of carbon monoxide and water, 1133
Takeshita, K.: see Korai, Y., 649
Takeshita, K.: see Mochida, I., 471, 659
Tamai, Y.: see Tomita, A., 62, 150
Tamai, Y.: see Yamada, T., 246
Tanimoto, K.: see Ouchi, K., 1227
Tauzin, C.: see Cundy, V. A., 775
Taylor, N.: see Bartle, K. D., 1181
Taylor, N.: see Richards, D. G., 724
Thewlis, P.: see Jackson, W. R., 606
Thomas, K. M.: see Green, P. D., 1013
Thomas, K. P., Barbour, R. V., Branthaver, J. F. and Dorrence, S. M.: Composition of oils produced during an echoing, *in-situ* combustion of a Utah tar sand, 438
Thompson, L. F.: see Holmes, S. A., 709
Thorne, L., McCormick, G., Downing, B. and Price, B.: Some aspects of the analysis of coal by X-ray fluorescence spectroscopy, 1053
Tingey, G. L.: see Lytle, J. M., 1299
Tomita, A., Ohtsuka, Y. and Tamai, Y.: Low temperature gasification of brown coals catalysed by nickel, 150
Tomita, A., Takarada, T. and Tamai, Y.: Gasification of coal impregnated with catalyst during pulverization: effect of catalyst type and reactant gas on the gasification of Shin-Yubari coal, 62
Tomita, A.: see Yamada, T., 246
Tomkinson, J.: see Howard, J., 1097
Tooke, P. B. and Grint, A.: Fourier transform infrared studies of coal, 1003
Tricker, M. J., Grint, A., Audley, G. J., Church, S. M., Rainey, V. S. and Wright, C. J.: Application of small-angle neutron scattering (SANS) to the study of coal porosity, 1092
Triffett, A. C. K.: see Proppleton, B. J., 1514
Truelove, J. S.: see Jamaluddin, A. S., 484
Tse, K.: see Stock, L. M., 974
Tsujimoto, Y.: see Itoh, M., 98
Tyrer, J. D.: see Clark, P. D., 959
Twardowska, H.: see Shiley, R. H., 905

Udseth, H. R.: see Smith, R. D., 466
Uliaque, C.: see Moliner, R., 1369
Uliaque, C.: see Moliner, R., 1372
Uno, T.: see Sakawa, M., 571, 585
Utoh, S.: see Yoshii, T., 47
Utz, B. R.: see Narain, N. K., 1417

Valceva, S.: see Markova, K., 942
Valković, V.: see Makjanić, J., 1247
Vancea, L.: see Furimsky, E., 395
Varghese, P.: see Derbyshire, F. J., 491
Vasilakos, N. P. and Corcoran, W. H.: Solvent effects in coal desulphurization by chlorinolysis near ambient temperature, 1111
Vasilakos, N. P. and Corcoran, W. H.: Surface-area reduction of coal during slurry-phase chlorinolysis, 795
Venkatesham, M.: see Prasad, K. B. S., 1327
Vinciguerra, S.: see Baldwin, R. M., 498
Vinh, T. H.: see Bredael, P., 1193
Vit, I.: see Koplick, A. J., 1167
Vogelzang, M. W.: see Westerman, D. W. B., 1376
Voller, V. R., Cross, M. and Merrick, D.: Mathematical models of the thermal decomposition of coal: 5. Distribution of gas flow in a coke-oven charge, 562

Wachowska, H., Pawlak, W. and Andrzejak, A.: The effect of acid treatment on dilatometric properties of coal, 85
Wagenfeld, H. K.: see Setek, M., 480
Wailes, P. C.: see Koplick, A. J., 1161, 1167
Walker, A.: see Hays, D., 946, 1079, 1145
Walker, A.: see Patrick, J. W., 129, 131
Walker, Jr., P. L., Matsumoto, S., Hanzawa, T., Muira, T. and Ismail, I. M. K.: Catalysis of gasification of coal-derived cokes and chars, 140
Walker, Jr., P. L.: see Lambert, Jr., J. M., 1474
Walker, Jr., P. L.: see Radović, L. R., 209, 849
Wall, T. F.: see Jamaluddin, A. S., 484
Wang, C. C. and Noble, R. D.: Composition and kinetics of oil generation from non-isothermal oil shale retorting, 529
Watanabe, Y.: see Itoh, M., 98
Watkins, I.: see Jackson, W. R., 606
Weinberg, V. A., White, J. L. and Yen, T. F.: Solvent fractionation of petroleum pitch for mesophase formation, 1503
Wen, C. S. and Kobylinski, T. P.: Low-temperature oil shale conversion, 1269
Westerman, D. W. B., Katti, S. S., Vogelzang, M. W., Li, C.-L., Gates, B. C. and Petrakis, L.: Capillary column gas chromatography with sulphur- and nitrogen-specific Hall detectors for determination of kinetics of hydroprocessing reactions of individual compounds in coal-liquid fractions, 1376
Wettlaufer, D.: see Stenberg, V. I., 1234
Weyrich, O. R. and Larsen, J. W.: Thermodynamics of hydrogen bonding in coal-derived liquids. Failure of the Bolles-Drago approach applied to mixtures, 976
White, A. and Whittingham, J.: Ultimate analysis of coals and cokes using instrumental techniques, 1058
White, C. M., Jones, L. and Li, N. C.: Ageing of SRC-II middle distillate from Illinois No. 6 coal. II. Further evidence of phenolic oxidative coupling in coal-derived liquids, 1397
White, D. H.: see Sekiguchi, Y., 908
White, J. L.: see Weinberg, V. A., 1503
Whitehurst, D. D.: see Derbyshire, F. J., 491
Whittingham, J.: see White, A., 1058
Wightman, J. P.: see Glanville, J. O., 1310
Wigmans, T., van Doorn, J. and Moulijn, J. A.: Temperature-programmed desorption study of Na_2CO_3-containing activated carbon, 190
Wigmans, T., Haringa, H. and Moulijn, J. A.: Nature, activity and stability of active sites during alkali metal carbonate-catalysed gasification reactions of coal char, 185
Williams, P. F. V.: Oil shales and their analysis, 756
Willson, W. G.: see Farnum, S. A., 799
Willson, W. G.: see Stenberg, V. I., 1487
Wilson, M. A.: see Collin, P. J., 450
Wilson, M. A.: see Collin, P. J., 1243
Wilson, M. A.: see Heng, S., 1359
Wilson, M. A.: see Russell, N. J., 601
Wilson, R.: see Clark, D. T., 1034
Winans, R. E.: see Botto, R. E., 271
Wiser, W. H.: see Yokoyama, S., 4
Wold, A.: see Colle, K. S., 155
Wolf, E. E.: see Yuh, S. J., 252, 738
Wong, J. L. and Gladstone, C. M.: Size exclusion chromatography of H-coal liquids on silica, polyvinylacetate and polystyrene columns, 870
Wood, K. V.: see Ciupek, J. D., 829
Woolsey, N. F.: see Stenberg, V. I., 913, 1234
Worley, S. D.: see Curtis, C. W., 1341
Wozniak, J.: see Chrusciel, E., 389
Wright, C. J.: see Tricker, M. J., 1092

Yaginuma, R.: see Yoshii, T., 47
Yamada, T., Tomita, A., Tamai, Y. and Homa, T.: Catalytic activity of physically-mixed nickel compounds on the CO_2 gasification of phenolformaldehyde resin char, 246
Yen, T. F.: see Shue, F.-F., 127
Yen, T. F.: see Weinberg, V. A., 1503
Yilmaz, A.: see Balkas, T. I., 373
Yokono, T.: see Obara, T., 813
Yokoyama, S., Bodily, D. M. and Wiser, W. H.: Chemical structure of heavy oil from coal hydrogenation. 1. Hydrogenation with zinc chloride catalyst, 4
Yoshida, Y.: see Korai, Y., 649
Yoshii, K.-I.: see Itoh, M., 98
Yoshii, T., Yaginuma, R., Utoh, S. and Yoshikawa, H.: Formation of a new catalyst (Saechol) for coal hydrogenation on the surface of molybdenum alloys by catechol treatment, 47
Yoshikawa, H.: see Yoshii, T., 47
Young, D. C.: see McNeil, R. I., 401, 806
Young, L.-J. S., Li, N. C. and Hardy, D.: Analysis of upgraded SRC-II and H-coal liquid products, 718
Yuh, S. J. and Wolf, E. E.: FTIR studies of potassium catalyst-treated gasified coal chars and carbons, 252
Yuh, S. J. and Wolf, E. E.: K_2CO_3-catalysed steam gasification of supercritical extracted chars, 738
Yürüm, Y.: see Larsen, J. W., 476
Yurteri, R. N.: see Gökcay, C. F., 1223

Filmset by Mid-County Press, London SW15
Printed by Henry Ling Ltd, Dorchester, Dorset